


Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationery Office. Crown Copyright reserved. Licence No: AL 50125A
 Licensee:
 Stratascan Ltd.
 Vineyard House
 Upper Hook Road
 Upton Upon Severn
 WR8 0SA

OS 100km square = ST



50
49
48
47
46



Survey Area

42 43 44 45 46

Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014



Site centred on NGR **ST 438 478**

Client
CONTEXT ONE ARCHAEOLOGY

Project Title **GEOPHYSICAL SURVEY - CROSS FARM, WEDMORE, SOMERSET** Job No. 6899


Subject
LOCATION PLAN OF SURVEY AREA

STRATASCAN
 GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk

GPR ASSOCIATION
SUMO SURVEYS SUMO GROUP MEMBER
 ISO 9001 certified UKAS ISO 14001 certified

Scale **1:25000** 0m 500m 1000m

Plot A3	Checked by DGE	Issue No. 01
Survey date MAY 14	Drawn by OJP	Figure No. 01



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014


OS GRID REFERENCES

A	343825.15, 147939.74
B	343935.58, 147892.78

Client
CONTEXT ONE ARCHAEOLOGY

Project Title Job No. 6899
GEOPHYSICAL SURVEY - CROSS FARM, WEDMORE, SOMERSET

Subject
LOCATION OF SURVEY GRIDS AND REFERENCING




GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



Scale **1:1000** 0m 10 20 30 40 50


Plot A3	Checked by DGE	Issue No. 01
Survey date MAY 14	Drawn by OJP	Figure No. 02



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014



Client
CONTEXT ONE ARCHAEOLOGY

Project Title Job No. 6899
GEOPHYSICAL SURVEY - CROSS FARM, WEDMORE, SOMERSET

Subject
COLOUR PLOT OF GRADIOMETER DATA SHOWING EXTREME VALUES

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION

SUMO GROUP MEMBER

ims ISO 9001 certified

ims ISO 14001 certified

Scale **1:1000** 0m 10 20 30 40 50


Plot A3	Checked by DGE	Issue No. 01
Survey date MAY 14	Drawn by OJP	Figure No. 03



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014



Client
CONTEXT ONE ARCHAEOLOGY

Project Title
GEOPHYSICAL SURVEY - CROSS FARM, WEDMORE, SOMERSET

Job No. 6899


Subject
PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION
SUMO GROUP MEMBER
 ISO 9001 certified
 ISO 14001 certified

Scale
1:1000

Plot A3	Checked by DGE	Issue No. 01
Survey date MAY 14	Drawn by OJP	Figure No. 04







Amendments

Issue No.	Date	Description
-	-	-
-	-	-




© Stratascan Ltd - 2014

KEY









PROBABLE ARCHAEOLOGY

-  Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
-  Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin
-  Moderate strength discrete anomaly - probable thermoremanent feature
-  Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow

POSSIBLE ARCHAEOLOGY

-  Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
-  Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin
-  Moderate strength discrete anomaly - possible thermoremanent feature


OTHER ANOMALIES

-  Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
-  Linear anomaly - probably related to pipe, cable or other modern service
-  Linear anomaly - possibly related to land drain
-  Magnetic disturbance associated with nearby metal object such as service or field boundary
-  Strong magnetic debris - possible disturbed or made ground
-  Scattered magnetic debris
-  Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin
-  Magnetic spike - probable ferrous object

Client
CONTEXT ONE ARCHAEOLOGY

Project Title Job No. 6899
GEOPHYSICAL SURVEY - CROSS FARM, WEDMORE, SOMERSET

Subject
ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES




GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



SUMO GROUP MEMBER



Scale **1:1000** 

Plot A3	Checked by DGE	Issue No. 01
Survey date MAY 14	Drawn by OJP	Figure No. 05