



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-

KEY	
	Complex response - probable structural remains
	Deep complex response - probable structural remains beneath current path
	Shallow planar response - possible buried surface / structural remains, maybe related to service trench
	Shallow inclined event - dipping surface
	Deep planar anomaly
	Shallow planar anomaly - possible path
	Isolated discrete anomaly - unknown origin
	Weak complex area - possible archaeological origin
	Area of inclined events - unknown origin
	Complex response - probable structural remains, possibly partially robbed out
	Complex response - possible path way
	Complex response - possible structural remains

Client
BUCKFAST ABBEY

Project Title **Job No. 1860**
GEOPHYSICAL SURVEY BUCKFAST ABBEY

Subject
INTERPRETATION OF GPR ANOMALIES

STRATASCAN™
 GEOPHYSICS FOR ARCHAEOLOGY
 AND ENGINEERING
 VINEYARD HOUSE
 UPPER HOOK ROAD
 UPTON UPON SEVERN
 UK
 WR8 0SA
 T: +44 (0)1684 592266
 F: +44 (0)1684 594142
 E: info@stratascan.co.uk
 www.stratascan.co.uk

Scale	0m 5 10 15m	
1:250		
Plot	Checked by	Issue No.
A2	PPB	01
Date	Drawn by	Figure No.
MARCH 04	DE	12