



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-

KEY	
	High resistance anomaly - possible path way
	High resistance anomaly - uncertain origin
	High resistance anomaly - possibly associated with modern utilities
	Moderate resistance anomaly
	Low resistance anomaly - possible ditch or depression
	Low resistance anomaly - Possibly related to modern service trench

Client  
**BUCKFAST ABBEY**

Project Title Job No. 1860  
**GEOPHYSICAL SURVEY BUCKFAST ABBEY**

Subject  
**ABSTRACTION AND INTERPRETATION OF RESISTANCE ANOMALIES**

**STRATASCAN**<sup>TM</sup>  
 GEOPHYSICS FOR ARCHAEOLOGY  
 AND ENGINEERING  
 VINEYARD HOUSE  
 UPPER HOOK ROAD  
 UPTON UPON SEVERN  
 UK  
 WR8 0SA  
 T: +44 (0)1684 592266  
 F: +44 (0)1684 594142  
 E: info@stratascan.co.uk  
 www.stratascan.co.uk

Scale	0m 5 10 15m	
<b>1:250</b>		
Plot	Checked by	Issue No.
<b>A2</b>	<b>PPB</b>	<b>01</b>
Date	Drawn by	Figure No.
<b>MARCH 04</b>	<b>DE</b>	<b>05</b>