



Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationery Office. Crown Copyright reserved. Licence No: AL 50125A  
 Licencees:  
 Stratascan Ltd.  
 Vineyard House  
 Upper Hook Road  
 Upton Upon Severn  
 WR8 0SA  
 OS 100km square = SU

Survey area



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-



OS REFERENCING INFORMATION	
A	407986.93, 109537.24
B	408051.98, 109599.43
C	408096.30, 109683.31
D	408161.35, 109745.51
E	408203.77, 109744.56
F	408286.69, 109657.82
G	408222.59, 109638.04
H	408135.86, 109555.11
I	408456.36, 109654.02
J	408543.09, 109736.95
K	408288.60, 109742.65
L	408309.33, 109720.97
M	408285.75, 109615.41
N	408306.48, 109593.72

Not surveyed due to tree cover

OS REFERENCING INFORMATION	
A	407986.93, 109537.24
B	408051.98, 109599.43
C	408096.30, 109683.31
D	408161.35, 109745.51
E	408203.77, 109744.56
F	408286.69, 109657.82
G	408222.59, 109638.04
H	408135.86, 109555.11
I	408456.36, 109654.02
J	408543.09, 109736.95
K	408288.60, 109742.65
L	408309.33, 109720.97
M	408285.75, 109615.41
N	408306.48, 109593.72

Job No. 8090 Survey Date MAR 15

Client  
**SOUTHAMPTON CITY COUNCIL**

Project Title  
**GEOPHYSICAL SURVEY - EASTWORTH ROAD, VERWOOD, DORSET**


Subject  
**SITE LOCATION, SURVEY AREA & REFERENCING**

**STRATASCAN™**  
 GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING  
 VINEYARD HOUSE UPTON UPON SEVERN WR8 0SA  
 T: 01684 592266 E: info@stratascan.co.uk www.stratascan.co.uk

**GPR ASSOCIATION**  
**SUMO GROUP MEMBER**  
 ISO 9001 certified  
 ISO 14001 certified

Scale 1:1250  
 0m 10 20 30 40 50 60 70 80m


Plot A1	Checked by DGE	Issue No. 01
Date MAR 15	Drawn by RD	Figure No. 01



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015



Job No.	8090	Survey Date	MAR 15
---------	------	-------------	--------

Client  
**SOUTHAMPTON CITY COUNCIL**

Project Title  
**GEOPHYSICAL SURVEY - EASTWORTH ROAD, VERWOOD, DORSET**


Subject  
**COLOUR PLOT OF GRADIOMETER DATA SHOWING EXTREME VALUES**

**STRATASCAN™**  
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE T: 01684 592266  
UPTON UPON SEVERN E: info@stratascan.co.uk  
WR8 0SA www.stratascan.co.uk




Plot	A1	Checked by	DGE	Issue No.	01
Date	MAR 15	Drawn by	RD	Figure No.	02



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015



Job No.	8090	Survey Date	MAR 15
---------	------	-------------	--------


Client  
**SOUTHAMPTON CITY COUNCIL**

Project Title  
**GEOPHYSICAL SURVEY - EASTWORTH ROAD, VERWOOD, DORSET**

Subject  
**PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA**

**STRATASCAN™**  
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE UPTON UPON SEVERN WR8 0SA T: 01684 592266 E: info@stratascan.co.uk www.stratascan.co.uk



Plot	A1	Checked by	DGE	Issue No.	01
Date	MAR 15	Drawn by	RD	Figure No.	03



**Amendments**

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

**KEY**

**PROBABLE ARCHAEOLOGY**

- Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin
- Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow

**POSSIBLE ARCHAEOLOGY**

- Strong bipolar anomaly - possibly related to former kiln
- Scattered magnetic debris - possible thermoremanent debris from kiln
- Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin

**OTHER ANOMALIES**

- Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
- Linear anomaly - probably related to pipe, cable or other modern service
- Linear anomaly - possibly related to land drain
- Magnetic disturbance associated with nearby metal object such as service or field boundary
- Strong magnetic debris - possible disturbed or made ground
- Scattered magnetic debris
- Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin
- Magnetic spike - probable ferrous object

Job No.	8090	Survey Date	MAR 15
---------	------	-------------	--------

Client  
**SOUTHAMPTON CITY COUNCIL**

Project Title  
**GEOPHYSICAL SURVEY - EASTWORTH ROAD, VERWOOD, DORSET**

Subject  
**ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES**

**STRATASCAN™**  
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING  
VINEYARD HOUSE UPTON UPON SEVERN WR8 0SA T: 01684 592266 E: info@stratascan.co.uk www.stratascan.co.uk

**GPR ASSOCIATION**  
**SUMO GROUP MEMBER**  
ISO 9001 certified  
ISO 14001 certified



Plot	A1	Checked by	DGE	Issue No.	01
Date	MAR 15	Drawn by	RD	Figure No.	04