


Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014



Site centred on NGR ST 399 604

Area unsurveyable due to drains, vegetation and track ways

OS REFERENCING INFORMATION

A	340350.6522	Y= 161107.09
B	340454.5929	Y= 161167.06
C	340321.6731	Y= 160917.20
D	340503.5694	Y= 161022.14
E	340468.5797	Y= 161382.94
F	340558.5337	Y= 161227.03

Job No.	7062	Survey Date	JUN 14
---------	------	-------------	--------

Client
RPS GROUP PLC

Project Title
**BOWER HOUSE LAND,
 RIVERSIDE ROAD, BANWELL,
 NORTH SOMERSET**



Subject
**SITE LOCATION, SURVEY
 AREA & REFERENCING**

STRATASCAN™
 GEOPHYSICS FOR ARCHAEOLOGY
 AND ENGINEERING
 VINEYARD HOUSE UPTON UPON SEVERN WR8 0SA
 T: 01684 592266
 E: info@stratascan.co.uk
 www.stratascan.co.uk



Scale
 1:2500
 0m 50 100 150m


Plot	A1	Checked by	PPB	Issue No.	01
Date	JUL 14	Drawn by	OJP	Figure No.	01



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014



Job No.	7062	Survey Date	JUN 14
---------	------	-------------	--------

Client
RPS GROUP PLC

Project Title
**BOWER HOUSE LAND,
RIVERSIDE ROAD, BANWELL,
NORTH SOMERSET**


Subject
**COLOUR PLOT OF MINIMALLY
PROCESSED GRADIOMETER
DATA SHOWING EXTREME
VALUES - NORTH**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



Scale 0m 10 20 30 40 50 60m
1:1000


Plot	A1	Checked by	PPB	Issue No.	01
Date	JUL 14	Drawn by	OJP	Figure No.	02



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014



Job No.	7062	Survey Date	JUN 14
---------	------	-------------	--------

Client
RPS GROUP PLC

Project Title
**BOWER HOUSE LAND,
RIVERSIDE ROAD, BANWELL,
NORTH SOMERSET**


Subject
**COLOUR PLOT OF MINIMALLY
PROCESSED GRADIOMETER
DATA SHOWING EXTREME
VALUES - SOUTH**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



Scale
1:1000

Plot	A1	Checked by	PPB	Issue No.	01
Date	JUL 14	Drawn by	OJP	Figure No.	03



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2014		

Plotting parameters

Maximum + 2nT (black)

Minimum -2nT (white)

-2nT +2nT

+2nT

-2nT

Job No.	7062	Survey Date	JUN 14
Client	RPS GROUP PLC		
Project Title	BOWER HOUSE LAND, RIVERSIDE ROAD, BANWELL, NORTH SOMERSET		
Subject	PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA - NORTH		

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

Scale 1: 1000 0m 10 20 30 40 50 60m

Plot	A1	Checked by	PPB	Issue No.	01
Date	JUL 14	Drawn by	OJP	Figure No.	04




Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2014		

Plotting parameters

Maximum + 2nT (black)
Minimum -2nT (white)

-2nT +2nT +2nT -2nT

Job No.	7062	Survey Date	JUN 14
Client			
RPS GROUP PLC			
Project Title			
BOWER HOUSE LAND, RIVERSIDE ROAD, BANWELL, NORTH SOMERSET			
Subject			
PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA - SOUTH			
<p>STRATASCANTM GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING</p> <p>VINEYARD HOUSE T: 01684 592266 UPTON UPON SEVERN E: info@stratascan.co.uk WR8 0SA www.stratascan.co.uk</p>			
Scale 1:1000			
0m 10 20 30 40 50 60m			
Plot	A1	Checked by	PPB
Date	JUL 14	Issue No.	01
		Figure No.	05



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2014		

KEY

PROBABLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin
- Moderate strength discrete anomaly - probable thermoremanent feature
- Linear anomaly related to infilled surface drainage visible on LIDAR survey data and aerial photographs

POSSIBLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin
- Moderate strength discrete anomaly - possible thermoremanent feature

OTHER ANOMALIES

- Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
- Linear anomaly - probably related to pipe, cable or other modern service
- Linear anomaly - possibly related to land drain
- Magnetic disturbance associated with nearby metal object such as service or field boundary
- Scattered magnetic debris
- Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin
- Magnetic spike - probable ferrous object
- Probable infilled palaeochannel

Job No.	7062	Survey Date	JUN 14
---------	------	-------------	--------

Client

RPS GROUP PLC

Project Title

**BOWER HOUSE LAND,
RIVERSIDE ROAD, BANWELL,
NORTH SOMERSET**

Subject

INTERPRETATION - NORTH

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk


GPR ASSOCIATION

SUMO GROUP MEMBER

ISO 9001 certified
ISO 14001 certified

Scale 1:1000
0m 10 20 30 40 50 60m

Plot	A1	Checked by	PPB	Issue No.	01
Date	JUL 14	Drawn by	OJP	Figure No.	06



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2014		

KEY

PROBABLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin
- Moderate strength discrete anomaly - probable thermoremanent feature
- Linear anomaly related to infilled surface drainage visible on LIDAR survey data and aerial photographs

POSSIBLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin
- Moderate strength discrete anomaly - possible thermoremanent feature

OTHER ANOMALIES

- Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
- Linear anomaly - probably related to pipe, cable or other modern service
- Linear anomaly - possibly related to land drain
- Magnetic disturbance associated with nearby metal object such as service or field boundary
- Scattered magnetic debris
- Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin
- + Magnetic spike - probable ferrous object
- Probable infilled palaeochannel

Job No.	7062	Survey Date	JUN 14
Client			
RPS GROUP PLC			
Project Title			
BOWER HOUSE LAND, RIVERSIDE ROAD, BANWELL, NORTH SOMERSET			
Subject			
INTERPRETATION - SOUTH			

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

GPR ASSOCIATION

SUMO GROUP MEMBER

ISO 9001 certified
ISO 14001 certified

Scale 0m 10 20 30 40 50 60m
1:1000

Plot	A1	Checked by	PPB	Issue No.	01
Date	JUL 14	Drawn by	OJP	Figure No.	07