

Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014

Plotting parameters

Maximum +100nT (red)  
Minimum -100nT (blue)

+100nT

+10nT

-10nT

-100nT

Job No.

J6903

Survey Date

JUNE 14

Client

UNIVERSITY OF LEICESTER  
ARCHAEOLOGICAL SERVICES

Project Title

REARSBY, LEICESTERSHIRE

Subject

COLOUR PLOT OF  
GRADIOMETER DATA  
SHOWING EXTREME VALUES

STRATASCAN™

GEOPHYSICS FOR ARCHAEOLOGY  
AND ENGINEERING

VINEYARD HOUSE  
UPTON UPON SEVERN  
WR8 0SA

T: 01684 592266  
E: info@stratascan.co.uk  
www.stratascan.co.uk

Scale

1:1000

0m 10 20 30 40 50 60m

Plot

A1

Checked by

DGE

Issue No.

01

Date

JUNE 14

Drawn by

TR

Figure No.

02

EUROPEAN  
GPR  
ASSOCIATION

SUMOGROUP  
MEMBER

ISO 9001  
certified

ISO 14001  
certified


ISO 14001  
certified

ISO 14001  
certified









Amendments

Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2014		

KEY

PROBABLE ARCHAEOLOGY

Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin

Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin

Linear anomaly - probable former field boundary not present on available mapping

Linear anomaly - former field boundary present on available mapping pre-1900

Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow

POSSIBLE ARCHAEOLOGY

Positive anomaly / weak positive anomaly - possible feature of archaeological origin

Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin

OTHER ANOMALIES

Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing

Linear anomaly - probably related to pipe, cable or other modern service

Linear anomaly - possibly related to land drain

Linear anomaly - related to modern track way

Magnetic disturbance associated with nearby metal object such as service or field boundary

Strong magnetic debris - possible disturbed or made ground

Scattered magnetic debris

Scattered magnetic debris related to a former pond present on available mapping

Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin

Magnetic spike - probable ferrous object

Job No.

J6903

Survey Date

JUNE 14

Client

UNIVERSITY OF LEICESTER  
ARCHAEOLOGICAL SERVICES

Project Title

REARSBY, LEICESTERSHIRE

Subject

INTERPRETATION

STRATASCAN™

GEOPHYSICS FOR ARCHAEOLOGY  
AND ENGINEERING

VINEYARD HOUSE  
UPTON UPON SEVERN  
WR8 0SA

T: 01684 592266  
E: info@stratascan.co.uk  
www.stratascan.co.uk

EUROPEAN  
GPR  
ASSOCIATION

SUMOGROUP  
MEMBER

IMS  
ISO 9001  
certified

IMS  
ISO 14001  
certified

IMS  
ISO 19001  
certified

Scale

1:1000

0m 10 20 30 40 50 60m

Plot

A1

Checked by

DGE

Issue No.

01

Date

JUNE 14

Drawn by

TR

Figure No.

04