

GEOPHYSICAL SURVEY REPORT

STRATASCAN™



Project name:
Westgate Lane, Lubenham, Leicestershire

Client:
CgMs Consulting

November 2015

Job ref:
J9111

Report author:
Rebecca Davies BSc (Hons)
Suzanne Reeves BSc (Hons)

GEOPHYSICAL SURVEY REPORT

Project name:
Westgate Lane, Lubenham, Leicestershire
Client:
CgMs Consulting



Job ref:
J9111

Techniques:
**Detailed magnetic survey –
Gradiometry**

Survey date:
2nd November 2015

Site centred at:
SP 702 871

Post code:
LE16 9TS

Field team:
Robert Knight BA (Hons)
Robert Gill

Project manager:
Simon Haddrell BEng(Hons) AMBCS PCIfA

Report written By:
Rebecca Davies BSc (Hons)
Suzanne Reeves BSc (Hons)

CAD illustrations by:
Rebecca Davies BSc (Hons)

Checked by:
David Elks MSc ACIfA

TABLE OF CONTENTS

LIST OF FIGURES.....	3
1 SUMMARY OF RESULTS	4
2 INTRODUCTION	4
2.1 Background synopsis.....	4
2.2 Site location	4
2.3 Description of site	4
2.4 Geology and soils	4
2.5 Site history and archaeological potential	5
2.6 Survey objectives	5
2.7 Survey methods	5
2.8 Processing, presentation and interpretation of results.....	6
2.8.1 Processing	6
2.8.2 Presentation of results and interpretation.....	6
3 RESULTS.....	6
3.1 Probable Archaeology.....	6
3.2 Possible Archaeology	7
3.3 Medieval/Post-Medieval Agriculture.....	7
3.4 Other Anomalies	7
4 DATA APPRAISAL & CONFIDENCE ASSESSMENT	8
5 CONCLUSION.....	8
6 REFERENCES	9
APPENDIX A – METHODOLOGY & SURVEY EQUIPMENT.....	10
APPENDIX B – BASIC PRINCIPLES OF MAGNETIC SURVEY	11
APPENDIX C – GLOSSARY OF MAGNETIC ANOMALIES.....	12

LIST OF FIGURES

Figure 01	1:25 000	Location plan of survey area
Figure 02	1:1000	Location of survey grids and referencing
Figure 03	1:1000	Colour plot of gradiometer data showing extreme values
Figure 04	1:1000	Plot of minimally processed gradiometer data
Figure 05	1:1000	Abstraction and interpretation of gradiometer anomalies

1 SUMMARY OF RESULTS

A detailed gradiometry survey was conducted over approximately 1.8 hectares of grassland. No features of probable archaeological origin have been identified, despite the moderate potential for prehistoric, Roman and medieval remains. Features of possible archaeological origin have been identified though their exact origin cannot be determined with confidence. A former field boundary and evidence of ridge and furrow cultivation indicate that the site has been used for agricultural purposes since the medieval period. The remaining features include areas of natural magnetic variation, a former pond, scattered magnetic debris, and magnetic disturbance from nearby ferrous objects.

2 INTRODUCTION

2.1 *Background synopsis*

Stratascan were commissioned to undertake a geophysical survey of an area outlined for residential development. This survey forms part of an archaeological investigation being undertaken by CgMs Consulting.

2.2 *Site location*

The site is located to the west of Westgate Lane, Lubenham, Leicestershire at OS ref. SP 702 871.

2.3 *Description of site*

The survey area is approximately 1.8 hectares of grassland. The site lies on a gentle south facing slope with no obstructions.

2.4 *Geology and soils*

The underlying geology is Lias Formation and Charmouth Mudstone Formation – mudstone (British Geological Survey website). The drift geology is Alluvium – clay, silt, sand and gravel (British Geological Survey website).

The overlying soils are known as Wickham 2 which are typical stagnogley soils. These consist of fine loamy over clayey, fine silty over clayey, and clayey soils; with permeable calcareous soils on steeper slopes (Soil Survey of England and Wales, Sheet 3 Midland and Western England).

2.5 **Site history and archaeological potential**

Extract from “Westgate Lane, Lubenham, Leics – Archaeology Desk-Based Assessment” (CgMs Consulting, 2015):

“The evidence of prehistoric activity identified within the wider region of the proposed development area suggests increasingly sedentary activity, probably agricultural, together with settlements, probably farmsteads, established by the first Millennium BC. These characterise valley side locations and, although it is unlikely that significant archaeology of this period will be found in the valley bottom location represented by the proposed development area, the site is sufficiently above the floodplain to have moderate potential for prehistoric settlement.

Activity which can be dated to the Roman period is restricted, on north bank of the River Welland (MLE7866), to finds close to the parish church of All Saints. On the southern side of the river a possible area of Roman settlement (NHER222) is situated on rising ground south west of Thorpe Lubenham. Roman settlement in this area is likely to favour locations above the river flood plain and there is, therefore, moderate potential for evidence for this period.

The medieval evidence within the search area is focussed on the river and the village of Lubenham (MLE1892, 1893, 9316). The majority of evidence relates to medieval pottery found in various locations within the village, including 55 The Green (MLE6741) and the Primary school (MLE16238). Ridge and furrow has been recorded within the proposed development area in the northern section, whilst there is further ridge and furrow south of the former Rugby to Stamford railway in Northamptonshire (NHER7909) and on farmland within the parish boundary.

The ridge and furrow within the proposed development site and the nature of the evidence suggests medieval activity within the proposed development area is most likely to be related to either cultivation or grazing or later arable agriculture.”

2.6 **Survey objectives**

The objective of the survey was to locate any features of possible archaeological origin in order that they may be assessed prior to development.

2.7 **Survey methods**

This report and all fieldwork have been conducted in accordance with both the English Heritage guidelines outlined in the document: *Geophysical Survey in Archaeological Field Evaluation, 2008* and with the Chartered Institute for Archaeologists document *Standard and Guidance for Archaeological Geophysical Survey*.

Due to the moderate potential for prehistoric, Roman, and medieval remains, detailed magnetic survey (gradiometry) was used as an efficient and effective method of locating archaeological anomalies. More information regarding this technique is included in Appendix A.

2.8 **Processing, presentation and interpretation of results**

2.8.1 **Processing**

Processing is performed using specialist software. This can emphasise various aspects contained within the data but which are often not easily seen in the raw data. Basic processing of the magnetic data involves 'flattening' the background levels with respect to adjacent traverses and adjacent grids. Once the basic processing has flattened the background it is then possible to carry out further processing which may include low pass filtering to reduce 'noise' in the data and hence emphasise the archaeological or man-made anomalies.

The following schedule shows the basic processing carried out on all minimally processed gradiometer data used in this report:

1. *Destripe* (Removes striping effects caused by zero-point discrepancies between different sensors and walking directions)
2. *Destagger* (Removes zigzag effects caused by inconsistent walking speeds on sloping, uneven or overgrown terrain)

2.8.2 **Presentation of results and interpretation**

The presentation of the data for each site involves a print-out of the minimally processed data both as a greyscale plot and a colour plot showing extreme magnetic values. Magnetic anomalies have been identified and plotted onto the 'Abstraction and Interpretation of Anomalies' drawing for the site.

3 **RESULTS**

The detailed magnetic gradiometer survey conducted at Lubenham has identified a number of anomalies that have been characterised as being of a *possible* archaeological origin.

The difference between *probable* and *possible* archaeological origin is a confidence rating. Features identified within the dataset that form recognisable archaeological patterns or seem to be related to a deliberate historical act have been interpreted as being of a probable archaeological origin.

Features of possible archaeological origin tend to be more amorphous anomalies which may have similar magnetic attributes in terms of strength or polarity but are difficult to classify as being archaeological or natural.

The following list of numbered anomalies refers to numerical labels on the interpretation plots.

3.1 **Probable Archaeology**

No probable archaeology has been identified within the survey area.

3.2 *Possible Archaeology*

- 1 A number of positive linear anomalies in the south and north of the site. These are indicative of former cut features, such as ditches, and are of possible archaeological origin.
- 2 Two strong positive area anomalies in a sub-rectangular shape in the north of the site. These are indicative of former cut features of possible archaeological origin.
- 3 A number of small discrete positive anomalies in the south of the site. These are indicative of small former cut features, such as backfilled pits, and are of possible archaeological origin.
- 4 A negative linear anomaly in the south of the site. This is indicative of a former bank or earthwork and is of possible archaeological origin.

3.3 *Medieval/Post-Medieval Agriculture*

- 5 A number of widely spaced, slightly curved, parallel linear anomalies across the site. These are related to ridge and furrow cultivation.
- 6 A positive linear anomaly in the centre of the site. This is related to a former field boundary that is present on available OS mapping from 1886 to 1952.

3.4 *Other Anomalies*

- 7 An area of strong magnetic debris in the south of the site. This is related to a former pond that is present on available OS mapping from 1886 to 1891.
- 8 Areas of amorphous magnetic variation across the site. These are likely to be natural, i.e. geological, in origin.
- 9 A small area of weak scattered magnetic debris in the south-east of the site. This is likely to be modern in origin.
- 10 Areas of magnetic disturbance are the result of substantial nearby ferrous metal objects such as fences and underground services. These effects can mask weaker archaeological anomalies, but on this site have not affected a significant proportion of the area.
- 11 A number of magnetic 'spikes' (strong focussed values with associated antipolar response) indicate ferrous metal objects. These are likely to be modern rubbish.

4 DATA APPRAISAL & CONFIDENCE ASSESSMENT

Charmouth mudstone geology generally provides good results for gradiometer survey, though superficial deposits of alluvium can give variable results. Despite the alluvial deposits across the site, a number of anomalies have been identified and show a high contrast between themselves and surrounding data, suggesting that the survey has been effective.

5 CONCLUSION

The survey at Lubenham has not identified any features of probable archaeological origin, despite the moderate potential for prehistoric, Roman and medieval remains. A series of linear anomalies of possible archaeological origin have been identified, along with a small number of possible pits. These may be related to the prehistoric, Roman or medieval activity outlined in the desk-based assessment, though due to the fragmentation of the anomalies their exact origin cannot be determined with confidence. Evidence of ridge and furrow and a former field boundary support information from the desk-based assessment with the site identified as having a high potential for medieval cultivation. The remaining features are natural or modern in origin and include areas of natural magnetic variation, an area of scattered magnetic debris, a former pond, disturbance from nearby ferrous metal objects, and magnetic spikes which are likely to be modern rubbish.

6 REFERENCES

British Geological Survey South Sheet, 1977. *Geological Survey Ten Mile Map, South Sheet First Edition (Quaternary)*. Institute of Geological Sciences.

British Geological Survey, 2001. *Geological Survey Ten Mile Map, South Sheet, Fourth Edition (Solid)*. British Geological Society.

British Geological Survey, n.d., *website*:
(<http://www.bgs.ac.uk/opengeoscience/home.html?Accordion1=1#maps>) Geology of Britain viewer.

CgMs Consulting, 2015. *Westgate Lane, Lubenham, Leics – Archaeology Desk-Based Assessment*

Chartered Institute For Archaeologists. *Standard and Guidance for Archaeological Geophysical Survey*.
<http://www.archaeologists.net/sites/default/files/nodefiles/Geophysics2010.pdf>

English Heritage, 2008. *Geophysical Survey in Archaeological Field Evaluation*.

Soil Survey of England and Wales, 1983. *Soils of England and Wales, Sheet 3 Midland and Western England*.

APPENDIX A – METHODOLOGY & SURVEY EQUIPMENT

Grid locations

The location of the survey grids has been plotted together with the referencing information. Grids were set out using a Leica 705auto Total Station and referenced to suitable topographic features around the perimeter of the site or a Leica Smart Rover RTK GPS.

An RTK GPS (Real-time Kinematic Global Positioning System) can locate a point on the ground to a far greater accuracy than a standard GPS unit. A standard GPS suffers from errors created by satellite orbit errors, clock errors and atmospheric interference, resulting in an accuracy of 5m-10m. An RTK system uses a single base station receiver and a number of mobile units. The base station re-broadcasts the phase of the carrier it measured, and the mobile units compare their own phase measurements with those they received from the base station. A SmartNet RTK GPS uses Ordnance Survey's network of over 100 fixed base stations to give an accuracy of around 0.01m.

Survey equipment and gradiometer configuration

Although the changes in the magnetic field resulting from differing features in the soil are usually weak, changes as small as 0.2 nanoTeslas (nT) in an overall field strength of 48,000nT, can be accurately detected using an appropriate instrument.

The mapping of the anomaly in a systematic manner will allow an estimate of the type of material present beneath the surface. Strong magnetic anomalies will be generated by buried iron-based objects or by kilns or hearths. More subtle anomalies such as pits and ditches can be seen if they contain more humic material which is normally rich in magnetic iron oxides when compared with the subsoil.

To illustrate this point, the cutting and subsequent silting or backfilling of a ditch may result in a larger volume of weakly magnetic material being accumulated in the trench compared to the undisturbed subsoil. A weak magnetic anomaly should therefore appear in plan along the line of the ditch.

The magnetic survey was carried out using a dual sensor Grad601-2 Magnetic Gradiometer manufactured by Bartington Instruments Ltd. The instrument consists of two fluxgates very accurately aligned to nullify the effects of the Earth's magnetic field. Readings relate to the difference in localised magnetic anomalies compared with the general magnetic background. The Grad601-2 consists of two high stability fluxgate gradiometers suspended on a single frame. Each gradiometer has a 1m separation between the sensing elements so enhancing the response to weak anomalies.

Sampling interval

Readings were taken at 0.25m centres along traverses 1m apart. This equates to 3600 sampling points in a full 30m x 30m grid.

Depth of scan and resolution

The Grad 601-2 has a typical depth of penetration of 0.5m to 1.0m, though strongly magnetic objects may be visible at greater depths. The collection of data at 0.25m centres provides an optimum methodology for the task balancing cost and time with resolution.

Data capture

The readings are logged consecutively into the data logger which in turn is daily down-loaded into a portable computer whilst on site. At the end of each site survey, data is transferred to the office for processing and presentation.

APPENDIX B – BASIC PRINCIPLES OF MAGNETIC SURVEY

Detailed magnetic survey can be used to effectively define areas of past human activity by mapping spatial variation and contrast in the magnetic properties of soil, subsoil and bedrock.

Weakly magnetic iron minerals are always present within the soil and areas of enhancement relate to increases in *magnetic susceptibility* and permanently magnetised *thermoremanent* material.

Magnetic susceptibility relates to the induced magnetism of a material when in the presence of a magnetic field. This magnetism can be considered as effectively permanent as it exists within the Earth's magnetic field. Magnetic susceptibility can become enhanced due to burning and complex biological or fermentation processes.

Thermoremanence is a permanent magnetism acquired by iron minerals that, after heating to a specific temperature known as the Curie Point, are effectively demagnetised followed by re-magnetisation by the Earth's magnetic field on cooling. Thermoremanent archaeological features can include hearths and kilns and material such as brick and tile may be magnetised through the same process.


Silting and deliberate infilling of ditches and pits with magnetically enhanced soil creates a relative contrast against the much lower levels of magnetism within the subsoil into which the feature is cut. Systematic mapping of magnetic anomalies will produce linear and discrete areas of enhancement allowing assessment and characterisation of subsurface features. Material such as subsoil and non-magnetic bedrock used to create former earthworks and walls may be mapped as areas of lower enhancement compared to surrounding soils.

Magnetic survey is carried out using a fluxgate gradiometer which is a passive instrument consisting of two sensors mounted vertically 1m apart. The instrument is carried about 30cm above the ground surface and the top sensor measures the Earth's magnetic field whilst the lower sensor measures the same field but is also more affected by any localised buried field. The difference between the two sensors will relate to the strength of a magnetic field created by a buried feature, if no field is present the difference will be close to zero as the magnetic field measured by both sensors will be the same.

Factors affecting the magnetic survey may include soil type, local geology, previous human activity, disturbance from modern services etc.


APPENDIX C – GLOSSARY OF MAGNETIC ANOMALIES

Bipolar



A bipolar anomaly is one that is composed of both a positive response and a negative response. It can be made up of any number of positive responses and negative responses. For example a pipeline consisting of alternating positive and negative anomalies is said to be bipolar. See also dipolar which has only one area of each polarity. The interpretation of the anomaly will depend on the magnitude of the magnetic field strength. A weak response may be caused by a clay field drain while a strong response will probably be caused by a metallic service.

Dipolar




This consists of a single positive anomaly with an associated negative response. There should be no separation between the two polarities of response. These responses will be created by a single feature. The interpretation of the anomaly will depend on the magnitude of the magnetic measurements. A very strong anomaly is likely to be caused by a ferrous object.

Positive anomaly with associated negative response


See bipolar and dipolar.

Positive linear




A linear response which is entirely positive in polarity. These are usually related to in-filled cut features where the fill material is magnetically enhanced compared to the surrounding matrix. They can be caused by ditches of an archaeological origin, but also former field boundaries, ploughing activity and some may even have a natural origin.

Positive linear anomaly with associated negative response




A positive linear anomaly which has a negative anomaly located adjacently. This will be caused by a single feature. In the example shown this is likely to be a single length of wire/cable probably relating to a modern service. Magnetically weaker responses may relate to earthwork style features and field boundaries.

Positive point/area




These are generally spatially small responses, perhaps covering just 3 or 4 reading nodes. They are entirely positive in polarity. Similar to positive linear anomalies they are generally caused by in-filled cut features. These include pits of an archaeological origin, possible tree bowls or other naturally occurring depressions in the ground.

Magnetic debris




Magnetic debris consists of numerous dipolar responses spread over an area. If the amplitude of response is low ($\pm 3nT$) then the origin is likely to represent general ground disturbance with no clear cause, it may be related to something as simple as an area of dug or mixed earth. A stronger anomaly ($\pm 250nT$) is more indicative of a spread of ferrous debris. Moderately strong anomalies may be the result of a spread of thermoremanent material such as bricks or ash.

Magnetic disturbance



Magnetic disturbance is high amplitude and can be composed of either a bipolar anomaly, or a single polarity response. It is essentially associated with magnetic interference from modern ferrous structures such as fencing, vehicles or buildings, and as a result is commonly found around the perimeter of a site near to boundary fences.

Negative linear




A linear response which is entirely negative in polarity. These are generally caused by earthen banks where material with a lower magnetic magnitude relative to the background top soil is built up. See also ploughing activity.

Negative point/area

Opposite to positive point anomalies these responses may be caused by raised areas or earthen banks. These could be of an archaeological origin or may have a natural origin.

Ploughing activity



Ploughing activity can often be visualised by a series of parallel linear anomalies. These can be of either positive polarity or negative polarity depending on site specifics. It can be difficult to distinguish between ancient ploughing and more modern ploughing. Clues such as the separation of each linear, straightness, strength of response and cross cutting relationships can be used to aid this, although none of these can be guaranteed to differentiate between different phases of activity.

Polarity

Term used to describe the measurement of the magnetic response. An anomaly can have a positive polarity (values above 0nT) and/or a negative polarity (values below 0nT).


Strength of response

The amplitude of a magnetic response is an important factor in assigning an interpretation to a particular anomaly. For example a positive anomaly covering a 10m² area may have values up to around 3000nT, in which case it is likely to be caused by modern magnetic interference. However, the same size and shaped anomaly but with values up to only 4nT may have a natural origin. Colour plots are used to show the amplitude of response.

Thermoremanent response

A feature which has been subject to heat may result in it acquiring a magnetic field. This can be anything up to approximately +/-100 nT in value. These features include clay fired drains, brick, bonfires, kilns, hearths and even pottery. If the heat application has occurred in situ (e.g. a kiln) then the response is likely to be bipolar compared to if the heated objects have been disturbed and moved relative to each other, in which case they are more likely to take an irregular form and may display a debris style response (e.g. ash).

Weak background variations




Weakly magnetic wide scale variations within the data can sometimes be seen within sites. These usually have no specific structure but can often appear curvy and sinuous in form. They are likely to be the result of natural features, such as soil creep, dried up (or seasonal) streams. They can also be caused by changes in the underlying geology or soil type which may contain unpredictable distributions of magnetic minerals, and are usually apparent in several locations across a site.

Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationery Office. Crown Copyright reserved. Licence No: AL 50125A
 Licencee:
 Stratascan Ltd.
 Vineyard House
 Upper Hook Road
 Upton Upon Severn
 WR8 0SA
 OS 100km square = SP



89
88
87
86
85




Survey Area

68 69 70 71 72

Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015



Site centred on NGR SP 702 871

Client
CgMs CONSULTING

Project Title Job No. 9111
GEOPHYSICAL SURVEY - WESTGATE LANE, LUBENHAM, LEICESTERSHIRE

Subject
LOCATION PLAN OF SURVEY AREA

STRATASCAN™
 GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk




SUMO GROUP MEMBER



Scale 1:25000
 0m 500 1000m

Plot A3	Checked by DGE	Issue No. 01
Survey date NOV 15	Drawn by RD	Figure No. 01



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

OS GRID REFERENCES

A	470287.14, 287229.64
B	470287.14, 287109.64

Client
CgMs CONSULTING

Project Title Job No. 9111
GEOPHYSICAL SURVEY - WESTGATE LANE, LUBENHAM, LEICESTERSHIRE

Subject
LOCATION OF SURVEY GRIDS AND REFERENCING



GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk




SUMO GROUP MEMBER



Scale **1:1000**

Plot A3	Checked by DGE	Issue No. 01
Survey date NOV 15	Drawn by RD	Figure No. 02



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

Plotting parameters

Maximum +100nT (red)
Minimum -100nT (blue)

Client
CgMs CONSULTING

Project Title Job No. 9111
GEOPHYSICAL SURVEY - WESTGATE LANE, LUBENHAM, LEICESTERSHIRE

Subject
COLOUR PLOT OF GRADIOMETER DATA SHOWING EXTREME VALUES

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION

SUMO SUMO GROUP MEMBER

ims ISO 9001 certified

ims ISO 14001 certified

Scale **1:1000** 0m 10 20 30 40 50


Plot A3	Checked by DGE	Issue No. 01
Survey date NOV 15	Drawn by RD	Figure No. 03



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015



Client
CgMs CONSULTING

Project Title Job No. 9111
GEOPHYSICAL SURVEY - WESTGATE LANE, LUBENHAM, LEICESTERSHIRE

Subject
PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING


VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION


SUMO GROUP MEMBER

ims ISO 9001 certified UKAS ISO 9001 certified

ims ISO 14001 certified UKAS ISO 14001 certified



Plot A3	Checked by DGE	Issue No. 01
Survey date NOV 15	Drawn by RD	Figure No. 04



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2015		
PROBABLE ARCHAEOLOGY		
		Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
		Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin
POSSIBLE ARCHAEOLOGY		
		Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
		Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin
MEDIEVAL/POST-MEDIEVAL AGRICULTURE		
		Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow
		Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
		Linear anomaly - probably related to a former field boundary not present on available mapping
		Linear anomaly - related to a former field boundary present on available mapping
OTHER ANOMALIES		
		Linear anomaly - probably related to pipe, cable or other modern service
		Magnetic disturbance associated with nearby metal object such as service or field boundary
		Strong magnetic debris - related to former pond present on available mapping
		Strong magnetic debris - possible disturbed or made ground
		Scattered magnetic debris
		Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin
		Magnetic spike - probable ferrous object
Client		
CgMs CONSULTING		
Project Title		Job No. 9111
GEOPHYSICAL SURVEY - WESTGATE LANE, LUBENHAM, LEICESTERSHIRE		
Subject		
ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES		
STRATASCAN™		
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING		
VINEYARD HOUSE		T: 01684 592266
UPTON UPON SEVERN		E: info@stratascan.co.uk
WR8 0SA		www.stratascan.co.uk
Scale		
1:1000		
0m 10 20 30 40 50		
Plot	Checked by	Issue No.
A3	DGE	01
Survey date	Drawn by	Figure No.
NOV 15	RD	05

Your Survey Partner

For a complete and complementary
range of survey services

*Survey services
you can rely on*

Archaeological
As Built Records
BIM Ready 3D Models
Boundary Disputes
CCTV
Geophysical
Laser Scanning
Measured Building
Pipeline Routes
Railway
Retrofit
Setting Out
Statutory Plan Collation
Topographic
Utility Mapping
UXO Detection
Void Detection

STRATASCAN LTD

Vineyard House Upper Hook Road Upton upon Severn
Worcestershire WR8 0SA United Kingdom

T:01684 592266 F: 01684 594142

info@stratascan.co.uk www.stratascan.co.uk

STRATASCAN™



SUMO
Group
Member