

Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationery Office. Crown Copyright reserved. Licence No: AL 50125A
 Licensee:
 Stratascan Ltd.
 Vineyard House
 Upper Hook Road
 Upton Upon Severn
 WR8 0SA

OS 100km square = SP



27

26

25

24

23



Survey Area

Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014



Site centred on NGR **SP 197 255**

Client
JOHN MOORE HERITAGE SERVICES

Project Title Job No. 6597
**ODDINGTON ROAD,
 STOW-ON-THE-WOLD**

Subject
LOCATION PLAN OF SURVEY AREA

STRATASCAN™

GEOPHYSICS FOR ARCHAEOLOGY
 AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk



SUMO GROUP MEMBER



Scale **1:25000** 0m 500m 1000m

Plot A3	Checked by DGE	Issue No. 01
Survey date MAR 2014	Drawn by JHS/OJP	Figure No. 01


17

18

19

20

21



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014

OS GRID REFERENCES

A	419797.32, 225599.98
B	419856.81, 225607.75
C	419753.35, 225473.23
D	419761.11, 225413.73

Client
JOHN MOORE HERITAGE SERVICES

Project Title Job No. 6597
**ODDINGTON ROAD,
STOW-ON-THE-WOLD**


Subject
**LOCATION OF SURVEY GRIDS AND
REFERENCING**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



Scale 1:1000
0m 10 20 30 40 50

Plot A3	Checked by DGE	Issue No. 01
Survey date MAR 2014	Drawn by JHS	Figure No. 02



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014

Plotting parameters

Maximum + 100nT (red)
Minimum -100nT (blue)

Client
JOHN MOORE HERITAGE SERVICES

Project Title Job No. 6597
**ODDINGTON ROAD,
STOW-ON-THE-WOLD**

Subject
**COLOUR PLOT OF GRADIOMETER
DATA SHOWING EXTREME VALUES**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk


GPR ASSOCIATION

SUMO SURVEY SERVICES
SUMO GROUP MEMBER

ims ISO 9001 certified
ims ISO 14001 certified

Scale 1: 1000
0m 10 20 30 40 50


Plot A3	Checked by DGE	Issue No. 01
Survey date MAR 2014	Drawn by JHS	Figure No. 03



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2014



Client
JOHN MOORE HERITAGE SERVICES

Project Title Job No. 6597
**ODDINGTON ROAD,
STOW-ON-THE-WOLD**


Subject
**PLOT OF MINIMALLY PROCESSED
GRADIOMETER DATA**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



Scale 1: 1000

Plot A3	Checked by DGE	Issue No. 01
Survey date MAR 2014	Drawn by JHS	Figure No. 04







Amendments

Issue No.	Date	Description
-	-	-
-	-	-




© Stratascan Ltd - 2014

KEY









PROBABLE ARCHAEOLOGY

-  Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
-  Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin
-  Moderate strength discrete anomaly - probable thermoremanent feature
-  Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow

POSSIBLE ARCHAEOLOGY

-  Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
-  Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin
-  Moderate strength discrete anomaly - possible thermoremanent feature

OTHER ANOMALIES

-  Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
-  Linear anomaly - probably related to pipe, cable or other modern service
-  Linear anomaly - possibly related to land drain
-  Magnetic disturbance associated with nearby metal object such as service or field boundary
-  Strong magnetic debris - possible disturbed or made ground
-  Scattered magnetic debris
-  Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin
-  Magnetic spike - probable ferrous object

Client
JOHN MOORE HERITAGE SERVICES

Project Title Job No. 6597
**ODDINGTON ROAD,
STOW-ON-THE-WOLD**

Subject
**ABSTRACTION AND INTERPRETATION
OF GRADIOMETER ANOMALIES**


STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



 SUMO GROUP MEMBER




Scale **1:1000** 

Plot A3	Checked by DGE	Issue No. 01
Survey date MAR 2014	Drawn by JHS	Figure No. 05