

Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

Site centred on NGR SK 678 044

OS REFERENCING INFORMATION

A	467754.26, 304603.60
B	468024.13, 304413.67
C	468035.86, 304292.03
D	468069.78, 304208.67
E	468100.83, 304122.72
F	468129.98, 304070.27
G	468136.88, 304063.49
H	468158.51, 304084.27
I	468216.48, 304109.07
J	468247.59, 304160.38
K	468267.85, 304140.63
L	468284.83, 304115.89
M	468299.23, 304088.48
N	468318.26, 304111.68

Job No. J8995Survey Date OCT 15

Client BRIAN HENTON

Project Title LAND OFF INGARSBY LANE, LEICESTERSHIRE

Subject SITE LOCATION, SURVEY AREA & REFERENCING

STRATASCAN™


GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA

T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

Scale 1:12500m1020304050607080m

Plot A1	Checked by DGE	Issue No. 01
Date NOV 15	Drawn by TR	Figure No. 01



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

Plotting parameters

Maximum +2nT (black)
Minimum -2nT (white)

Zero Mean

+2nT

-2nT

Job No.

J8995

Survey Date

OCT 15

Client

BRIAN HENTON

Project Title

LAND OFF INGARSBY LANE,
LEICESTERSHIRE

Subject

PLOT OF MINIMALLY
PROCESSED GRADIOMETER
DATA

STRATASCAN™

GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA

T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

EUROPEAN
GPR
ASSOCIATION

SUMO
GROUP
MEMBER

ISO 9001
certified

UKAS
QUALITY
MANAGEMENT
SYSTEMS

ISO 14001
certified

UKAS
ENVIRONMENTAL
MANAGEMENT
SYSTEMS

Scale

0m 10 20 30 40 50 60 70 80m

1:1250

Plot

A1

Checked by

DGE

Issue No.

01

Date

NOV 15

Drawn by

TR

Figure No.

03



Amendments

Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2015		

PROBABLE ARCHAEOLOGY

Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin

Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin

POSSIBLE ARCHAEOLOGY

Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin

Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin

MEDIEVAL/POST-MEDIEVAL AGRICULTURE

Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow

Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing

Linear anomaly - probably related to a former field boundary not present on available mapping

Linear anomaly - related to a former field boundary present on available mapping

OTHER ANOMALIES

Linear anomaly - probably related to pipe, cable or other modern service

Linear anomaly - possibly related to land drain

Magnetic disturbance associated with nearby metal object such as service or field boundary

Strong magnetic debris - possible disturbed or made ground

Scattered magnetic debris

Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin

Magnetic spike - probable ferrous object

Job No.

J8995

Survey Date

OCT 15

Client

BRIAN HENTON

Project Title

LAND OFF INGARSBY LANE, LEICESTERSHIRE

Subject

ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA

T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

EUROPEAN
GPR
ASSOCIATION

SUMO
GROUP
MEMBER

IMS
certified

UKAS
certified

IMS
certified

UKAS
certified

Scale

0m 10 20 30 40 50 60 70 80m

1:1250

Plot

A1

Checked by

DGE

Issue No.

01

Date

NOV 15

Drawn by

TR

Figure No.

04