


Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationary Office. Crown Copyright reserved. Licence No. AL 50125A
Licencees:
Stratascan Ltd.
Vineyard House
Upper Hook Road
Upton Upon Severn
WR8 0SA
OS 100km square = ST

Survey area

VIEWPORT A


VIEWPORT B



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013



Site centred on NGR ST 218 269

OS REFERENCING INFORMATION

A	322162.89, 127768.37
B	322163.01, 127588.37
C	321923.01, 127588.22
D	321923.10, 127438.22
E	322163.08, 127468.37
F	322163.19, 127288.37
G	322283.15, 127348.44
H	322283.23, 127228.44
I	321713.15, 127348.09
J	321713.25, 127228.09
K	321863.19, 127288.18
L	321863.30, 127108.18
M	322043.17, 127318.29
N	322043.28, 127138.29
O	322163.23, 127228.37
P	322163.30, 127108.37
Q	322013.32, 127078.27
R	322073.32, 127078.31
S	321833.34, 127048.16
T	321893.34, 127048.16
U	321953.38, 126988.24
V	321953.47, 126838.24
W	321893.41, 126928.20
X	321893.47, 126838.20
Y	321713.38, 126988.09
Z	321713.47, 126838.09

Job No. 5966 Survey Date NOV 13

Client

PM ASSET MANAGEMENT

Project Title

GEOPHYSICAL SURVEY - STAPLEGROVE

Subject

SITE LOCATION AND SURVEY AREA & REFERENCING

STRATASCAN™

GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA
T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

EUROPEAN
GPR
ASSOCIATION

SUMO
GROUP
MEMBER

ISO 9001
certified

ISO 14001
certified

ISO 18001
certified

Scale 1:2000 0m 20 40 60 80 100 120m

Plot A1

Checked by PPB

Issue No. 01

Date NOV 13

Drawn by OJP

Figure No. 01



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

Plotting parameters

Maximum +100nT (red)
Minimum -100nT (blue)

+100nT

+10nT

-10nT

-100nT

Job No.

5966

Survey Date

NOV 13

Client

PM ASSET MANAGEMENT

Project Title

GEOPHYSICAL SURVEY - STAPLEGROVE

Subject

COLOUR PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA SHOWING EXTREME VALUES - VIEWPORT A

STRATASCAN™

GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA

T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION

SUMO GROUP MEMBER

IMS ISO 9001 certified

UKAS ISO 9001 certified

IMS ISO 14001 certified

UKAS ISO 14001 certified

Scale

0m 10 20 30 40 50 60 70 80m

1:1250

Plot

A1

Checked by

PPB

Issue No.

01

Date

NOV 13

Drawn by

OJP

Figure No.

02



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

Zero

Mean

-2nT

+2nT

+2nT

-2nT

Job No.

5966

Survey Date

NOV 13

Client

PM ASSET MANAGEMENT

Project Title

GEOPHYSICAL SURVEY - STAPLEGROVE

Subject

PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA - VIEWPORT A

STRATASCAN™

GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA

T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

EUROPEAN
GPR
ASSOCIATION

SUMO
GROUP
MEMBER

IMS
ISO 9001
certified

UKAS
ISO 9001
certified

IMS
ISO 14001
certified

Scale

0m 10 20 30 40 50 60 70 80m

1:1250

Plot

A1

Checked by

PPB

Issue No.

01

Date


NOV 13

Drawn by

OJP

Figure No.

03



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

KEY

PROBABLE ARCHAEOLOGY

Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin

Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin

Moderate strength discrete anomaly - probable thermoremanent feature

Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow

POSSIBLE ARCHAEOLOGY

Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin

Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin

Positive linear anomaly - possible historic field boundary or ditch

Magnetic spike - probable ferrous object

OTHER ANOMALIES

Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing

Linear anomaly - probably related to pipe, cable or other modern service

Linear anomaly - possibly related to land drain

Magnetic disturbance associated with nearby metal object such as service or field boundary

Strong magnetic debris - possible disturbed or made ground

Scattered magnetic debris

Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin

Job No.

5966

Survey Date

NOV 13

Client

PM ASSET MANAGEMENT

Project Title

GEOPHYSICAL SURVEY - STAPLEGROVE

Subject

INTERPRETATION - VIEWPORT A

STRATASCAN™

GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA

T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

EUROPEAN
GPR
ASSOCIATION

SUMO

SUMO GROUP MEMBER

ims

ISO 9001 certified

UKAS

ISO 9001 certified

ims

ISO 9001 certified

Scale

0m 10 20 30 40 50 60 70 80m

1:1250

Plot

A1

Checked by

PPB

Issue No.

01

Date

NOV 13

Drawn by

OJP

Figure No.

04



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

Plotting parameters

Maximum +100nT (red)
Minimum -100nT (blue)

+100nT

+10nT

-10nT

-100nT

Job No.

5966

Survey Date

NOV 13

Client

PM ASSET MANAGEMENT

Project Title

GEOPHYSICAL SURVEY - STAPLEGROVE

Subject

COLOUR PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA SHOWING EXTREME VALUES - VIEWPORT B

STRATASCAN™

GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA

T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

Scale

0m 10 20 30 40 50 60 70 80m

1:1250

Plot

A1

Checked by

PPB

Issue No.

01

Date

NOV 13

Drawn by

OJP

Figure No.

05

EUROPEAN ASSOCIATION GPR

SUMO GROUP MEMBER

ISO 9001 certified

ISO 14001 certified

ISO 18001 certified



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

Zero

Mean

-2nT

+2nT

+2nT

-2nT

Job No.

5966

Survey Date

NOV 13

Client

PM ASSET MANAGEMENT

Project Title

GEOPHYSICAL SURVEY - STAPLEGROVE

Subject

PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA - VIEWPORT B

STRATASCANTM

GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA

T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

GPS
ASSOCIATION

SUMO
GROUP MEMBER

ISO 9001
certified

ISO 14001
certified

ISO 18001
certified

Scale

1:1250

0m 10 20 30 40 50 60 70 80m

Plot

A1

Checked by

PPB

Issue No.

01

Date


NOV 13

Drawn by

OJP

Figure No.

06



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

KEY

PROBABLE ARCHAEOLOGY

Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin

Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin

Moderate strength discrete anomaly - probable thermoremanent feature

Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow

POSSIBLE ARCHAEOLOGY

Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin

Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin

Positive linear anomaly - possible historic field boundary or ditch

Magnetic spike - probable ferrous object

OTHER ANOMALIES

Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing

Linear anomaly - probably related to pipe, cable or other modern service

Linear anomaly - possibly related to land drain

Magnetic disturbance associated with nearby metal object such as service or field boundary

Strong magnetic debris - possible disturbed or made ground

Scattered magnetic debris

Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin

Job No.

5966

Survey Date

NOV 13

Client

PM ASSET MANAGEMENT

Project Title

GEOPHYSICAL SURVEY - STAPLEGROVE

Subject

INTERPRETATION - VIEWPORT B

STRATASCAN™

GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA

T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

EUROPEAN
GPR
ASSOCIATION

SUMO

ISO 9001
certified

GROUP
MEMBER

IMS

ISO 9001
certified

IMS

ISO 9001
certified

Scale

1:1250

0m 10 20 30 40 50 60 70 80m

Plot

A1

Checked by

PPB

Issue No.

01

Date

NOV 13

Drawn by

OJP

Figure No.

07



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

Plotting parameters

Maximum +100nT (red)
Minimum -100nT (blue)

+100nT

+10nT

-10nT

-100nT

Job No.

5966

Survey Date

NOV 13

Client

PM ASSET MANAGEMENT

Project Title

GEOPHYSICAL SURVEY - STAPLEGROVE

Subject

COLOUR PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA SHOWING EXTREME VALUES - WHOLE SITE

STRATASCAN™

GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA

T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION

SUMO GROUP MEMBER

ISO 9001 certified

ISO 14001 certified

UKAS

UKAS

Scale

0m 20 40 60 80 100 120m

1:2000

Plot

A1

Checked by

PPB

Issue No.

01

Date

NOV 13

Drawn by

OJP

Figure No.

08



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

Zero Mean

-2nT

+2nT

+2nT

-2nT

Job No.

5966

Survey Date

NOV 13

Client

PM ASSET MANAGEMENT

Project Title

GEOPHYSICAL SURVEY - STAPLEGROVE

Subject

PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA - WHOLE SITE

STRATASCANTM

GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA

T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION

SUMO GROUP MEMBER

Scale

0m 20 40 60 80 100 120m

1:2000

Plot

A1

Checked by

PPB

Issue No.

01

Date


NOV 13

Drawn by

OJP

Figure No.

09



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

KEY

PROBABLE ARCHAEOLOGY

Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin

Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin

Moderate strength discrete anomaly - probable thermoremanent feature

Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow

POSSIBLE ARCHAEOLOGY

Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin

Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin

Positive linear anomaly - probable historic field boundary or ditch

Magnetic spike - probable ferrous object

OTHER ANOMALIES

Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing

Linear anomaly - probably related to pipe, cable or other modern service

Linear anomaly - possibly related to land drain

Magnetic disturbance associated with nearby metal object such as service or field boundary

Strong magnetic debris - possible disturbed or made ground

Scattered magnetic debris

Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin

Job No.

5966

Survey Date

NOV 13

Client

PM ASSET MANAGEMENT

Project Title

GEOPHYSICAL SURVEY - STAPLEGROVE

Subject

INTERPRETATION - WHOLE SITE

STRATASCAN™

GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE
UPTON UPON SEVERN
WR8 0SA

T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk

EUROPEAN
GPR
ASSOCIATION

SUMOGROUP

MEMBER

IMS
ISO 9001
certified

UKAS
ISO 9001
certified

IMS
ISO 9001
certified

UKAS
ISO 9001
certified

Scale

1:2000

0m 20 40 60 80 100 120m

Plot

A1

Checked by

PPB

Issue No.

01

Date

NOV 13

Drawn by

OJP

Figure No.

10