
OS 100km square = TL

60



59





57


56


51














	Amendments					
ł	Issue No. Date Description				ption	
	© Stratascan Ltd					
	KEY					
	PROBABLE ARCHAEOLOGY					
	Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin					
	Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin					
	5 t	Moderate strength discrete anomaly - probable thermoremanent feature				
	Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow					
	POSSIBLE ARCHAEOLOGY					
	Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin					
		Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin				
	Representation of the strength discrete anomaly - possible thermoremanent feature					
	OTHER ANOMALIES					
	Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing					
	Linear anomaly - probably related to pipe, cable or other modern service					
	Linear anomaly - possibly related to land drain					
	Magnetic disturbance associated with nearby metal object such as service or field boundary					
	Strong magnetic debris - possible disturbed or made ground					
	+ + + S	Scattered magnetic debris				
		Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin				
\bigcirc	+ N	Magnetic spike - probable ferrous object				
D	UNIVERSITY OF CAMBRIDGE					
	ARCHAEOLOGICAL UNIT					
$\left \right\rangle$	Project Title Job No. J7245 LAND NORTH OF CHERRY HINTON, CAMBRIDGE, CAMBRIDGESHIRE					
A	Subject ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES					
\sim	(A VIII VIII IN VIII IN (A CAR A IN IN)					
	GEOPHYSICS FOR ARCHAEOLOGY					
	AND ENGINEERING					
\$	VINEYARD HOUSE T: 01684 592266 UPTON UPON SEVERN E: info@stratascan.co.uk WR8 0SA www.stratascan.co.uk					
				CISTER CORCENSATIO		
	Surve		SUMO GROUP MEMBER	ISO 9001 certified	VKAS ISO 14001 Certified OTB	
\square	Scale 1	:1250	0m 1		30 40 50m	
\times	Plot		Checked	by	Issue No.	
	A3 DGE 01 Survey date Drawn by Figure No.					
\times /			T			