


Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationery Office. Crown Copyright reserved. Licence No: AL 50125A
 Licensee:
 Stratascan Ltd.
 Vineyard House
 Upper Hook Road
 Upton Upon Severn
 WR8 0SA
 OS 100km square = SX



96
95
94
93
92



Survey Area

95 96 97 98 99

Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015



Site centred on NGR **SX 967 936**

Client
CgMs CONSULTING LTD

Project Title **THE VINES, GYPSY HILL, MONKERTON, DEVON** Job No. **J9163**


Subject
LOCATION PLAN OF SURVEY AREA







STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk


GPR ASSOCIATION
SUMO SURVEYS SUMO GROUP MEMBER
 ISO 9001 certified ISO 14001 certified

Scale **1:25000** 0m 500m 1000m

Plot A3	Checked by DGE	Issue No. 01
Survey date NOV 15	Drawn by TR	Figure No. 01



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2015		
OS GRID REFERENCES		
A	296723.45, 093633.09	
B	296752.77, 093639.48	
C	296782.08, 093645.87	
D	296775.69, 093675.18	
Client		
CgMs CONSULTING LTD		
Project Title		Job No. J9163
THE VINES, GYPSY HILL, MONKERTON, DEVON		
Subject		
LOCATION OF SURVEY GRIDS AND REFERENCING		
 STRATASCAN™ GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING VINEYARD HOUSE T: 01684 592266 UPTON UPON SEVERN E: info@stratascan.co.uk WR8 0SA www.stratascan.co.uk		
 GPR ASSOCIATION		
 SUMO GROUP MEMBER		
 IMS ISO 9001 certified		
 IMS ISO 14001 certified		
Scale		
1:750		
		
Plot	Checked by	Issue No.
A3	DGE	01
Survey date	Drawn by	Figure No.
NOV 15	TR	02



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

Plotting parameters

Maximum +100nT (red)
Minimum -100nT (blue)

Client
CgMs CONSULTING LTD

Project Title **THE VINES, GYPSY HILL, MONKERTON, DEVON** Job No. **J9163**

Subject
COLOUR PLOT OF GRADIOMETER DATA SHOWING EXTREME VALUES

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

Scale **1:750** 0m 5 15 30m

Plot A3	Checked by DGE	Issue No. 01
Survey date NOV 15	Drawn by TR	Figure No. 03



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

Plotting parameters

Maximum +2nT (black)
Minimum -2nT (white)

Zero Mean

-2nT +2nT -2nT

Client
CgMs CONSULTING LTD

Project Title Job No. J9163
**THE VINES, GYPSY HILL,
MONKERTON, DEVON**

Subject
**PLOT OF MINIMALLY PROCESSED
GRADIOMETER DATA**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION

SUMO GROUP MEMBER

ims ISO 9001 certified **UKAS** **ims ISO 14001 certified** **UKAS**

Scale **1:750** 0m 5 15 30m

Plot A3	Checked by DGE	Issue No. 01
Survey date NOV 15	Drawn by TR	Figure No. 04





Amendments



Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015





PROBABLE ARCHAEOLOGY

-  Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
-  Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin








POSSIBLE ARCHAEOLOGY

-  Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
-  Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin

MEDIEVAL/POST-MEDIEVAL AGRICULTURE

-  Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow
-  Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
-  Linear anomaly - probably related to a former field boundary not present on available mapping
-  Linear anomaly - related to a former field boundary present on available mapping

OTHER ANOMALIES

-  Linear anomaly - probably related to pipe, cable or other modern service
-  Linear anomaly - possibly related to land drain
-  Magnetic disturbance associated with nearby metal object such as service or field boundary
-  Strong magnetic debris - possible disturbed or made ground
-  Scattered magnetic debris
-  Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin
-  Magnetic spike - probable ferrous object

Client
CgMs CONSULTING LTD

Project Title Job No. J9163
**THE VINES, GYPSY HILL,
MONKERTON, DEVON**

Subject
**ABSTRACTION AND INTERPRETATION
OF GRADIOMETER ANOMALIES**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



Scale **1:750** 0m 5 15 30m

Plot A3	Checked by DGE	Issue No. 01
Survey date NOV 15	Drawn by TR	Figure No. 05



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

Plotting parameters

Maximum +105Ω (black)
Minimum +50Ω (white)

Zero Mean

Client
CgMs CONSULTING LTD

Project Title **THE VINES, GYPSY HILL, MONKERTON, DEVON** Job No. **J9163**

Subject
PLOT OF MINIMALLY PROCESSED RESISTANCE DATA

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION

SUMO GROUP MEMBER

ims ISO 9001 certified **UKAS ISO 14001 certified**

Scale **1:750** 0m 5 15 30m

Plot A3	Checked by DGE	Issue No. 01
Survey date NOV 15	Drawn by TR	Figure No. 06



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

POSSIBLE ARCHAEOLOGY

Low resistance area anomaly - possible cut feature of archaeological origin

POSSIBLE ARCHAEOLOGY

Low resistance area anomaly - possible cut feature of unknown origin, likely natural

High resistance area anomaly - possible compacted ground or drier soil related to nearby vegetation


Low resistance linear anomaly - probable underground service

Low resistance area anomaly - probable geological/pedological origin or waterlogging

Client
CgMs CONSULTING LTD

Project Title Job No. J9163
**THE VINES, GYPSY HILL,
MONKERTON, DEVON**

Subject
**ABSTRACTION AND INTERPRETATION
OF RESISTANCE ANOMALIES**



**GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING**

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



SUMO GROUP MEMBER



Scale **1:750**

Plot A3	Checked by DGE	Issue No. 01
Survey date NOV 15	Drawn by TR	Figure No. 07