


Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationery Office. Crown Copyright reserved. Licence No: AL 50125A
 Licensee: Stratascan Ltd. Vineyard House Upper Hook Road Upton Upon Severn WR8 0SA
 OS 100km square = SX



70
69
68
67
66



Survey Area

23 24 25 26 27

Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015



Site centred on NGR SX 246 683

Client
CgMs CONSULTING LTD

Project Title Job No. J8009
ST.CLEER, CORNWALL

Subject
LOCATION PLAN OF SURVEY AREA

STRATASCAN
 GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk




SUMO GROUP MEMBER









Scale 1:25000 0m 500m 1000m

Plot A3	Checked by PPB	Issue No. 01
Survey date FEB 15	Drawn by TR	Figure No. 01



The Old School House

Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2015		
KEY		
	Area unsurveyable - overgrown vegetation	
OS GRID REFERENCES		
A	224592.90, 068460.00	
B	224592.90, 068250.00	
Client		
CgMs CONSULTING LTD		
Project Title		Job No. J8009
ST.CLEER, CORNWALL		
Subject		
LOCATION OF SURVEY GRIDS AND REFERENCING		
 STRATASCAN™ GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING VINEYARD HOUSE T: 01684 592266 UPTON UPON SEVERN E: info@stratascan.co.uk WR8 0SA www.stratascan.co.uk		
 GPR ASSOCIATION  SUMO SURVEY SERVICES SUMO GROUP MEMBER		
		
Scale 1:1250		
Plot A3	Checked by PPB	Issue No. 01
Survey date FEB 15	Drawn by TR	Figure No. 02



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2015		

Plotting parameters	
Maximum +100nT (red)	
Minimum -100nT (blue)	

Client	CgMs CONSULTING LTD	
Project Title	Job No.	J8009
	ST.CLEER, CORNWALL	
Subject	COLOUR PLOT OF GRADIOMETER DATA SHOWING EXTREME VALUES	
 STRATASCAN™ GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING VINEYARD HOUSE T: 01684 592266 UPTON UPON SEVERN E: info@stratascan.co.uk WR8 0SA www.stratascan.co.uk		
 EUROPEAN GPR ASSOCIATION SURVEY SERVICES SUMO GROUP MEMBER		
 IMS ISO 9001 certified		
 IMS ISO 14001 certified		
Scale	0m 10 20 30 40 50m	
1:1250		
Plot	Checked by	Issue No.
A3	PPB	01
Survey date	Drawn by	Figure No.
FEB 15	TR	03

The Old School House



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2015		

Plotting parameters

Maximum +5nT (black)
Minimum -5nT (white)

-5nT +5nT

+5nT

-5nT

Client
CgMs CONSULTING LTD

Project Title Job No. J8009
ST.CLEER, CORNWALL


Subject
PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

Scale 1:1250 0m 10 20 30 40 50m

Plot A3	Checked by PPB	Issue No. 01
Survey date FEB 15	Drawn by TR	Figure No. 04



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2015		
KEY		
PROBABLE ARCHAEOLOGY		
	Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin	
	Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin	
	Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow	
POSSIBLE ARCHAEOLOGY		
	Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin	
	Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin	
	Linear anomaly possibly related to a former field boundary or service trench	
OTHER ANOMALIES		
	Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing	
	Linear anomaly - probably related to pipe, cable or other modern service	
	Linear anomaly - possibly related to land drain	
	Magnetic disturbance associated with nearby metal object such as service or field boundary	
	Strong magnetic debris - possible disturbed or made ground	
	Scattered magnetic debris	
	Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin	
	Magnetic spike - probable ferrous object	
Client		
CgMs CONSULTING LTD		
Project Title		Job No. J8009
ST.CLEER, CORNWALL		
Subject		
ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES		
STRATASCAN™		
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING		
VINEYARD HOUSE		T: 01684 592266
UPTON UPON SEVERN		E: info@stratascan.co.uk
WR8 0SA		www.stratascan.co.uk
Scale		
1:1250		0m 10 20 30 40 50m
Plot	Checked by	Issue No.
A3	PPB	01
Survey date	Drawn by	Figure No.
FEB 15	TR	05

The Old School House