


Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationery Office. Crown Copyright reserved. Licence No: AL 50125A
 Licences:
 Stratascan Ltd
 Vineyard House
 Upper Hook Road
 Upton Upon Severn
 WR8 0SA
 OS 100km square = ST

Survey area



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

Survey area
 Site centred on NGR ST 387 591

KEY

Area unsurveyable - buildings

OS REFERENCING INFORMATION

Point	OS Easting	OS Northing
A	338485.96	159100.35
B	338524.87	158986.83
C	338570.29	159224.40
D	338628.66	159054.12
E	338732.45	159121.41
F	338771.36	159007.90
G	338845.96	159160.33
H	338884.87	159046.81
I	338940.83	159161.13
J	338970.01	159076.00

Job No. **J8136** Survey Date **MAR 15**
 Client

CgMs CONSULTING LTD
 Project Title
LAND SOUTH OF KNIGHTCOTT ROAD, BANWELL, SOMERSET

Subject
SITE LOCATION, SURVEY AREA & REFERENCING

STRATASCAN™
 GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE UPTON UPON SEVERN WR8 0SA
 T: 01684 592266 E: info@stratascan.co.uk www.stratascan.co.uk



Scale 1:1000

Plot	Checked by	Issue No.
A1	DGE	01
Date	Drawn by	Figure No.
MAR 15	TR	01



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2015		

Plotting parameters

Maximum +100nT (red)
Minimum -100nT (blue)

+100nT
+25nT
+3nT
-3nT
-25nT
-100nT

Job No.	J8136	Survey Date	MAR 15
Client	CgMs CONSULTING LTD		
Project Title	LAND SOUTH OF KNIGHTCOTT ROAD, BANWELL, SOMERSET		
Subject	COLOUR PLOT OF GRADIOMETER DATA SHOWING EXTREME VALUES		

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE UPTON UPON SEVERN WR8 0SA T: 01684 592266 E: info@stratascan.co.uk www.stratascan.co.uk

GPR ASSOCIATION

SUMO GROUP MEMBER

ISO 9001 certified
ISO 14001 certified
ISO 18001 certified

Scale 0m 10 20 30 40 50 60m
1:1000

Plot	A1	Checked by	DGE	Issue No.	01
Date	MAR 15	Drawn by	TR	Figure No.	02



Amendments		
Issue No.	Date	Description
-	-	-
© Stratascan Ltd - 2015		

Plotting parameters

Maximum +2nT (black)
Minimum -2nT (white)

-2nT +2nT

Job No. J8136 Survey Date MAR 15

Client
CgMs CONSULTING LTD

Project Title
LAND SOUTH OF KNIGHTCOTT ROAD, BANWELL, SOMERSET

Subject
PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

GPR ASSOCIATION

SUMO GROUP MEMBER

ISO 9001 certified ISO 14001 certified

Scale 0m 10 20 30 40 50 60m
1:1000

Plot A1	Checked by DGE	Issue No. 01
Date MAR 15	Drawn by TR	Figure No. 03



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2015		

KEY

PROBABLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin
- Linear anomaly probably related to a former field boundary not present on available mapping
- Linear anomaly related to a former field boundary present on available mapping pre-1900
- Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow

POSSIBLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin

OTHER ANOMALIES

- Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
- Linear anomaly - probably related to pipe, cable or other modern service
- Linear anomaly - possibly related to land drain
- Magnetic disturbance associated with nearby metal object such as service or field boundary
- Strong magnetic debris - possibly disturbed or made ground
- Scattered magnetic debris
- Area of amorphous magnetic variation - probably natural (e.g. geological or pedological) origin
- Magnetic spike - probable former fence line
- Magnetic spike - probable ferrous object

Job No.	Survey Date
J8136	MAR 15

Client
CgMs CONSULTING LTD

Project Title
LAND SOUTH OF KNIGHTCOTT ROAD, BANWELL, SOMERSET

Subject
ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE UPTON UPON SEVERN WR8 0SA T: 01684 592266 E: info@stratascan.co.uk www.stratascan.co.uk

GPR ASSOCIATION

SUMO GROUP MEMBER

ISO 9001 certified
ISO 14001 certified
ISO 18001 certified

Scale
0m 10 20 30 40 50 60m
1:1000

Plot	Checked by	Issue No.
A1	DGE	01
Date	Drawn by	Figure No.
MAR 15	TR	04