


Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationery Office. Crown Copyright reserved. Licence No: AL 50125A
 Licensee: Stratascan Ltd. Vineyard House Upper Hook Road Upton Upon Severn WR8 0SA
 OS 100km square = SP



77
76
75
74
73




06 07 08 09 10

Amendments

| Issue No. | Date | Description |
|-----------|------|-------------|
| - | - | - |
| - | - | - |

© Stratascan Ltd - 2013



Site centred on NGR **SP 086 753**

Client **CgMs CONSULTING LTD**

Project Title **GEOPHYSICAL SURVEY - BLEAKHOUSE FARM, WYTHALL** Job No. **5949**

Subject **LOCATION PLAN OF SURVEY AREA**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk




SUMO GROUP MEMBER



Scale **1:25000** 0m 500m 1000m

| | | |
|-----------------------------|-----------------------|----------------------|
| Plot A3 | Checked by DGE | Issue No. 01 |
| Survey date OCT 2013 | Drawn by OJP | Figure No. 01 |



Amendments

| Issue No. | Date | Description |
|-----------|------|-------------|
| - | - | - |
| - | - | - |

© Stratascan Ltd - 2013


OS GRID REFERENCES

| | |
|----------|----------------------|
| A | 408787.18, 275727.67 |
| B | 408787.18, 275577.67 |
| C | 408667.18, 275607.67 |
| D | 408667.18, 275577.67 |
| E | 408607.18, 275367.67 |
| F | 408607.18, 275337.67 |

Client
CgMs CONSULTING LTD

Project Title Job No. 5949
GEOPHYSICAL SURVEY - BLEAKHOUSE FARM, WYTHALL

Subject
LOCATION OF SURVEY GRIDS AND REFERENCING



GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk




SUMO GROUP MEMBER



Scale **1:2000** 0m 20 40 60 80 100m

| | | |
|--------------------------------|--------------------------|-------------------------|
| Plot A3 | Checked by DGE | Issue No. 01 |
| Survey date OCT 2013 | Drawn by OJP | Figure No. 02 |



Amendments

| Issue No. | Date | Description |
|-----------|------|-------------|
| - | - | - |
| - | - | - |

© Stratascan Ltd - 2013

Plotting parameters

Maximum +100nT (red)
Minimum -100nT (blue)

+100nT
-10nT
-10nT
-100nT

Client
CgMs CONSULTING LTD

Project Title Job No. 5949
**GEOPHYSICAL SURVEY -
BLEAKHOUSE FARM, WYTHALL**

Subject
**COLOUR PLOT OF GRADIOMETER DATA
SHOWING EXTREME VALUES - NORTH**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION


SUMO SUMO GROUP MEMBER

ims ISO 9001 certified

ims ISO 14001 certified

Scale **1:1000** 0m 10 20 30 40 50

| | | |
|--------------------------------|--------------------------|-------------------------|
| Plot A3 | Checked by DGE | Issue No. 01 |
| Survey date OCT 2013 | Drawn by BPC | Figure No. 03 |



| Amendments | | |
|------------|------|-------------|
| Issue No. | Date | Description |
| - | - | - |
| - | - | - |

© Stratascan Ltd - 2013

Plotting parameters

Maximum +100nT (red)
Minimum -100nT (blue)

Client

CgMs CONSULTING LTD

Project Title Job No. 5949

**GEOPHYSICAL SURVEY -
BLEAKHOUSE FARM, WYTHALL**

Subject

**COLOUR PLOT OF GRADIOMETER DATA
SHOWING EXTREME VALUES - SOUTH**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION


SUMO SUMO GROUP MEMBER

ims ISO 9001 certified

ims ISO 14001 certified

Scale 1:1000


| | | |
|-------------|------------|------------|
| Plot | Checked by | Issue No. |
| A3 | DGE | 01 |
| Survey date | Drawn by | Figure No. |
| OCT 2013 | BPC | 04 |



Amendments

| Issue No. | Date | Description |
|-----------|------|-------------|
| - | - | - |
| - | - | - |

© Stratascan Ltd - 2013



Client
CgMs CONSULTING LTD

Project Title Job No. 5949
**GEOPHYSICAL SURVEY -
BLEAKHOUSE FARM, WYTHALL**

Subject
**PLOT OF MINIMALLY PROCESSED
GRADIOMETER DATA - NORTH**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION


SUMO SUMO GROUP MEMBER

ims ISO 9001 certified

ims ISO 14001 certified

Scale **1:1000** 0m 10 20 30 40 50

| | | |
|--------------------------------|--------------------------|-------------------------|
| Plot A3 | Checked by DGE | Issue No. 01 |
| Survey date OCT 2013 | Drawn by BPC | Figure No. 05 |



| Amendments | | |
|------------|------|-------------|
| Issue No. | Date | Description |
| - | - | - |
| - | - | - |

© Stratascan Ltd - 2013





Client
CgMs CONSULTING LTD


Project Title Job No. 5949
GEOPHYSICAL SURVEY - BLEAKHOUSE FARM, WYTHALL

Subject
PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA



STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

Scale 1:1000 

| | | |
|--------------------------------|--------------------------|-------------------------|
| Plot A3 | Checked by DGE | Issue No. 01 |
| Survey date OCT 2013 | Drawn by OJP | Figure No. 06 |



| Amendments | | |
|--|--|--------------------------|
| Issue No. | Date | Description |
| - | - | - |
| - | - | - |
| © Stratascan Ltd - 2013 | | |
| KEY | | |
| PROBABLE ARCHAEOLOGY | | |
| | Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin | |
| | Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin | |
| | Moderate strength discrete anomaly - probable thermoremanent feature | |
| | Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow | |
| POSSIBLE ARCHAEOLOGY | | |
| | Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin | |
| | Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin | |
| | Moderate strength discrete anomaly - possible thermoremanent feature | |
| | Magnetic spike - probable ferrous object | |
| OTHER ANOMALIES | | |
| | Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing | |
| | Linear anomaly - probably related to pipe, cable or other modern service | |
| | Linear anomaly - possibly related to land drain | |
| | Magnetic disturbance associated with nearby metal object such as service or field boundary | |
| | Strong magnetic debris - possible disturbed or made ground | |
| | Scattered magnetic debris | |
| | Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin | |
| Client | | |
| CgMs CONSULTING LTD | | |
| Project Title | | Job No. 5949 |
| GEOPHYSICAL SURVEY - BLEAKHOUSE FARM, WYTHALL | | |
| Subject | | |
| ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES - NORTH | | |
| STRATASCAN™ | | |
| GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING | | |
| VINEYARD HOUSE | | T: 01684 592266 |
| UPTON UPON SEVERN | | E: info@stratascan.co.uk |
| WR8 0SA | | www.stratascan.co.uk |
| | | |
| Scale | | |
| 1:1000 | | |
| Plot | Checked by | Issue No. |
| A3 | DGE | 01 |
| Survey date | Drawn by | Figure No. |
| OCT 2013 | JHS | 07 |



| Amendments | | |
|---|--|--------------------------|
| Issue No. | Date | Description |
| - | - | - |
| - | - | - |
| © Stratascan Ltd - 2013 | | |
| KEY | | |
| PROBABLE ARCHAEOLOGY | | |
| | Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin | |
| | Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin | |
| | Moderate strength discrete anomaly - probable thermoremanent feature | |
| | Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow | |
| POSSIBLE ARCHAEOLOGY | | |
| | Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin | |
| | Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin | |
| | Linear anomaly possibly relating to a former field boundary or ditch | |
| | Magnetic spike - probable ferrous object | |
| OTHER ANOMALIES | | |
| | Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing | |
| | Linear anomaly - probably related to pipe, cable or other modern service | |
| | Linear anomaly - possibly related to land drain | |
| | Magnetic disturbance associated with nearby metal object such as service or field boundary | |
| | Strong magnetic debris - possible disturbed or made ground | |
| | Scattered magnetic debris | |
| | Area of unknown magnetic variation | |
| Client | | |
| CgMs CONSULTING LTD | | |
| Project Title | | Job No. 5949 |
| GEOPHYSICAL SURVEY - BLEAKHOUSE FARM, WYTHALL | | |
| Subject | | |
| ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES - SOUTH | | |
| STRATASCAN™ | | |
| GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING | | |
| VINEYARD HOUSE | | T: 01684 592266 |
| UPTON UPON SEVERN | | E: info@stratascan.co.uk |
| WR8 0SA | | www.stratascan.co.uk |
| | | |
| SUMO GROUP MEMBER | | |
| | | |
| Scale 1:1000 | | |
| | | |
| Plot | Checked by | Issue No. |
| A3 | DGE | 01 |
| Survey date | Drawn by | Figure No. |
| OCT 2013 | OJP | 08 |