


Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationery Office. Crown Copyright reserved. Licence No: AL 50125A
 Licencee:
 Stratascan Ltd.
 Vineyard House
 Upper Hook Road
 Upton Upon Severn
 WR8 0SA
 OS 100km square = SU



49
 48
 47
 46
 45



Survey Area

Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015



Site centred on NGR SU 344 473

Client
CgMs CONSULTING LTD

Project Title Job No. J7957
FOXCOTTE LANE, CHARLTON, HAMPSHIRE

Subject
LOCATION PLAN OF SURVEY AREA


STRATASCAN™
 GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk



Scale 1:25000
 0m 500m 1000m

Plot A3	Checked by DGE	Issue No. 01
Survey date FEB 15	Drawn by TR	Figure No. 01

32 33 34 35 36



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

OS GRID REFERENCES

A	434525.51, 147600.00
B	434525.51, 147360.00

Client
CgMs CONSULTING LTD

Project Title Job No. J7957
FOXCOTTE LANE, CHARLTON, HAMPSHIRE


Subject
LOCATION OF SURVEY GRIDS AND REFERENCING

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION
SUMO SURVEYS SUMO GROUP MEMBER
ims ISO 9001 certified
ims ISO 14001 certified

Scale 1:1500
0m 10 20 30 40 50m

Plot A3	Checked by DGE	Issue No. 01
Survey date FEB 15	Drawn by TR	Figure No. 02



Amendments

Issue No.	Date	Description
-	-	-

© Stratascan Ltd - 2015

Plotting parameters

Maximum + 100nT (red)
Minimum - 100nT (blue)

Client
CgMs CONSULTING LTD

Project Title Job No. J7957
**FOXCOTTE LANE, CHARLTON,
HAMPSHIRE**

Subject
**COLOUR PLOT OF GRADIOMETER
DATA SHOWING EXTREME VALUES -
OVERVIEW**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk


EUROPEAN GPR ASSOCIATION

SUMO SURVEYS SUMO GROUP MEMBER

ims ISO 9001 certified **UKAS** **ims ISO 14001 certified** **UKAS**

Scale **1:1500**

Plot A3	Checked by DGE	Issue No. 01
Survey date FEB 15	Drawn by TR	Figure No. 03



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

Plotting parameters

Maximum + 100nT (red)
Minimum - 100nT (blue)

Client
CgMs CONSULTING LTD

Project Title **FOX COTTE LANE, CHARLTON, HAMPSHIRE** Job No. **J7957**


Subject
COLOUR PLOT OF GRADIOMETER DATA SHOWING EXTREME VALUES - NORTH

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION
SUMO SURVEY SERVICES
SUMO GROUP MEMBER
ims ISO 9001 certified
UKAS MANAGEMENT SYSTEMS
ims ISO 14001 certified
UKAS ENVIRONMENTAL MANAGEMENT

Scale **1: 1000**
0m 10 20 30 40 50

Plot A3	Checked by DGE	Issue No. 01
Survey date FEB 15	Drawn by TR	Figure No. 04



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

Plotting parameters

Maximum + 100nT (red)
Minimum -100nT (blue)

Client
CgMs CONSULTING LTD

Project Title Job No. J7957
**FOXCOTTE LANE, CHARLTON,
HAMPSHIRE**

Subject
**COLOUR PLOT OF GRADIOMETER
DATA SHOWING EXTREME VALUES -
SOUTH**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

EUROPEAN GPR ASSOCIATION


SUMO SURVEYS
SUMO GROUP MEMBER

ims ISO 9001 certified
ims ISO 14001 certified

UKAS ACCREDITED

Scale **1:1000**
0m 10 20 30 40 50

Plot A3	Checked by DGE	Issue No. 01
Survey date FEB 15	Drawn by TR	Figure No. 05



Amendments

Issue No.	Date	Description
-	-	-

© Stratascan Ltd - 2015

Plotting parameters

Maximum +2nT (black)
Minimum -2nT (white)

Client
CgMs CONSULTING LTD

Project Title Job No. J7957
**FOXCOTTE LANE, CHARLTON,
HAMPSHIRE**


Subject
**PLOT OF MINIMALLY PROCESSED
GRADIOMETER DATA - OVERVIEW**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



Scale **1:1500**

Plot A3	Checked by DGE	Issue No. 01
Survey date FEB 15	Drawn by TR	Figure No. 06



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

Plotting parameters

Maximum +2nT (black)
Minimum -2nT (white)

Client
CgMs CONSULTING LTD

Project Title Job No. J7957
**FOX COTTE LANE, CHARLTON,
HAMPSHIRE**


Subject
**PLOT OF MINIMALLY PROCESSED
GRADIOMETER DATA - NORTH**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



Scale **1:1000**
0m 10 20 30 40 50


Plot A3	Checked by DGE	Issue No. 01
Survey date FEB 15	Drawn by TR	Figure No. 07



Amendments

Issue No.	Date	Description
-	-	-

© Stratascan Ltd - 2015




Client
CgMs CONSULTING LTD


Project Title Job No. J7957
**FOXCOLLE LANE, CHARLTON,
HAMPSHIRE**

Subject
**PLOT OF MINIMALLY PROCESSED
GRADIOMETER DATA - SOUTH**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



Plot A3	Checked by DGE	Issue No. 01
Survey date FEB 15	Drawn by TR	Figure No. 08





Amendments

Issue No.	Date	Description
-	-	-
-	-	-



© Stratascan Ltd - 2015

KEY










PROBABLE ARCHAEOLOGY

-  Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
-  Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin

POSSIBLE ARCHAEOLOGY

-  Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
-  Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin

OTHER ANOMALIES

-  Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
-  Widely spaced parallel linear anomalies likely to be of natural origin
-  Linear anomaly - probably related to pipe, cable or other modern service
-  Linear anomaly - possibly related to land drain
-  Magnetic disturbance associated with nearby metal object such as service or field boundary
-  Strong magnetic debris - possible disturbed or made ground
-  Scattered magnetic debris
-  Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin
-  Magnetic spike - probable ferrous object


Client
CgMs CONSULTING LTD

Project Title Job No. J7957
FOXCOTTE LANE, CHARLTON, HAMPSHIRE


Subject
ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES - OVERVIEW

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



Scale **1:1500** 

Plot A3	Checked by DGE	Issue No. 01
Survey date FEB 15	Drawn by TR	Figure No. 09



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

KEY

PROBABLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin

POSSIBLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin

OTHER ANOMALIES

- Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
- Widely spaced parallel linear anomalies likely to be of natural origin
- Linear anomaly - probably related to pipe, cable or other modern service
- Linear anomaly - possibly related to land drain
- Magnetic disturbance associated with nearby metal object such as service or field boundary
- Strong magnetic debris - possible disturbed or made ground
- Scattered magnetic debris
- Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin
- Magnetic spike - probable ferrous object

Client
CgMs CONSULTING LTD

Project Title Job No. J7957
FOX COTTE LANE, CHARLTON, HAMPSHIRE



Subject
ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES - NORTH

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



Scale 1:1000

Plot A3	Checked by DGE	Issue No. 01
Survey date FEB 15	Drawn by TR	Figure No. 10



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2015

KEY

PROBABLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin

POSSIBLE ARCHAEOLOGY

- Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
- Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin

OTHER ANOMALIES

- Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
- Widely spaced parallel linear anomalies likely to be of natural origin
- Linear anomaly - probably related to pipe, cable or other modern service
- Linear anomaly - possibly related to land drain
- Magnetic disturbance associated with nearby metal object such as service or field boundary
- Strong magnetic debris - possible disturbed or made ground
- Scattered magnetic debris
- Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin
- Magnetic spike - probable ferrous object

Client
CgMs CONSULTING LTD

Project Title Job No. J7957
FOXCOTTE LANE, CHARLTON, HAMPSHIRE

Subject
ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES - SOUTH

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



Scale 1: 1000

Plot A3	Checked by DGE	Issue No. 01
Survey date FEB 15	Drawn by TR	Figure No. 11