
Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationery Office. Crown Copyright reserved. Licence No: AL 50125A Licencee: Stratascan Ltd. Vineyard House Upper Hook Road Upton Upon Severn WR8 0SA


OS 100km square = SP

19 Model Farm lvinghoe Locks Farm 18 Golf riving Elsage CHEDDINGTON CP vinghoe Br West End Farm ddington 17 Certi 17 Pit (dis) reatea Wa 140 Camp (dis) Yardley Farm Survey Area 000 16 Pitstone Far Great 15 90 91 92 93 94


18








			A		]			
N	Issue No.	. Date	Amend	Descri				
$\sim$	-	-	-					
		C	) Stratasca	n Ltd				
$\sim$								
15								
PV								
~								
5								
212								
11.								
11 -								
/								
~								
5								
1)								
5								
77	OS GRID REFERENCES							
( )	A 492055.68, 217002.35							
T	В	49219	8.43, 21	7112.0	00			
N	C 492218.42, 216938.21							
>_	D 492289.80, 216993.03							
	Client							
		CgMs CONSULTING LTD Project Title Job No. J7389 CHEDDINGTON, BUCKINGHAMSHIRE						
\	Project							
2	CHE							
	Subjec							
			OF SUF	RVEY (	GRIDS AND			
		F	REFERE	NCIN	Ĵ			
	GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING							
1								
		'INEYARD H TON UPON			1684 592266 stratascan.co.uk			
1		WR8 OS	A	www.s	tratascan.co.uk			
	GPR (VIN)							
		Reitaise		INISH				
		SUMO GROUP MEMBER Sertified WEMBER						
1								
	Scale 1:	1250	0m 10		30 40 50m			
	Plot	A3	Checked I		Issue No. 01			
/	Survey	/ date	Drawn by		Figure No.			
	00	CT 14	M	U	02			







/			Amendments	endments					
	Issue l	No. Date	Descri	ption					
	-	-	-						
A)	© Stratascan Ltd								
KY	KEY								
こと	PROBABLE ARCHAEOLOGY								
ン	Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin								
P	Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin								
1.4	Moderate strength discrete anomaly - probable           thermoremanent feature								
71	Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow								
N N	POSSIBLE ARCHAEOLOGY								
1	Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin								
		Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin							
~	Moderate strength discrete anomaly - possible thermoremanent feature								
	OTHER ANOMALIES								
5	Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing								
2	Linear anomaly - probably related to pipe, cable or other modern service								
7	Linear anomaly - possibly related to land drain								
I I	Magnetic disturbance associated with nearby metal object such as service or field boundary								
La	Strong magnetic debris - possible disturbed or made ground								
~Y	+ + + Scattered magnetic debris								
14	Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin								
~	Magnetic spike - probable ferrous object								
	Client								
	CgMs CONSULTING LTD								
	Proje	Project Title Job No. J7389							
	CHEDDINGTON, BUCKINGHAMSHIRE								
/	Subj	Subject							
	ABSTRACTION AND INTERPRETATION								
	OF GRADIOMETER ANOMALIES								
	14	STRATASCAN							
	GEOPHYSICS FOR ARCHAEOLOGY								
		AND ENGINEERING VINEYARD HOUSE T: 01684 592266 UPTON UPON SEVERN E: info@stratascan.co.uk WR8 0SA www.stratascan.co.uk							
	τ								
			GUSTER						
1		5PK	CANISHIO						
	1								
	Scale 10 20 0 40 50m								
	1:1250       Plot       Checked by       Issue No.								
/	Surv	A3 ey date	DGE Drawn by	01 Figure No.					
	C	OCT 14	MU	05					