



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-

KEY	
	Positive anomaly with associated negative response - ferrous object
	Magnetic disturbance - associated with pipe/cable
	Positive linear anomaly - cut feature of possible archaeological origin
	Faint negative linear anomaly - possible structural remains of archaeological origin
	Faint positive area response possibly relating to a cut feature of archaeological origin
	Area of magnetic debris associated with modern disturbance

Client	
GIFFORD AND PARTNERS	
Project Title	Job No. 2025
GEOPHYSICAL SURVEY - BUCKLEY'S FIELD, MIDDLEWICH	
Subject	
ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES	
<div>STRATASCAN™</div> <div>GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING</div> <div>VINEYARD HOUSE</div> <div>UPPER HOOK ROAD</div> <div>UPTON UPON SEVERN</div> <div>UK</div> <div>WR8 0SA</div> <div>T: +44 (0)1684 592266</div> <div>F: +44 (0)1684 594142</div> <div>E: info@stratascan.co.uk</div> <div>www.stratascan.co.uk</div> <div></div>	
Scale	1:500
Plot	A3
Survey date	JUNE 05
Checked by	SAS
Issue No.	02
Drawn by	HH
Figure No.	07