



| Amendments | | |
|------------|------|-------------|
| Issue No. | Date | Description |
| - | - | - |
| - | - | - |

| | |
|--|-------|
| Plotting parameters | 200nT |
| +40nT | 160nT |
| (Positive values displace above the trace line. Hidden values have not been plotted) | 120nT |
| | 80nT |
| | 40nT |
| | 0nT |

| | | |
|---------------|--|--|
| Client | WESSEX ARCHAEOLOGY | |
| Project Title | GEOPHYSICAL SURVEY - | |
| | TOTTENHAM HOUSE, SAVERNAKE | |
| Job No. | 2053 | |
| Subject | TRACE PLOT OF RAW GRADIOMETER DATA SHOWING POSITIVE VALUES | |

STRATASCAN™
 GEOPHYSICS FOR ARCHAEOLOGY
 AND ENGINEERING
 VINEYARD HOUSE
 UPPER HOOK ROAD
 UPTON UPON SEVERN
 UK
 WR8 0SA
 T: +44 (0)1684 592266
 F: +44 (0)1684 594142
 E: info@stratascan.co.uk
 www.stratascan.co.uk

Scale 1:1000
 0m 10 20 30 40 50

| | | |
|-------------|------------|------------|
| Plot | Checked by | Issue No. |
| A3 | SAS | 01 |
| Survey date | Drawn by | Figure No. |
| OCT 05 | RAJS | 15 |