



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
<p>Plotting parameters</p> <p>+40nT</p> <p>(Positive values displace above the trace line. Hidden values have not been plotted)</p>		
		<p>200nT</p> <p>160nT</p> <p>120nT</p> <p>80nT</p> <p>40nT</p> <p>0nT</p>
Client		
WESSEX ARCHAEOLOGY		
Project Title		Job No. 2053
GEOPHYSICAL SURVEY - TOTTENHAM HOUSE, SAVERNAKE		
Subject		
TRACE PLOT OF RAW GRADIOMETER DATA SHOWING POSITIVE VALUES		
<p>STRATASCAN™</p> <p>GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING</p> <p>VINEYARD HOUSE UPPER HOOK ROAD UPTON UPON SEVERN UK</p> <p>WR8 0SA T: +44 (0)1684 592266 F: +44 (0)1684 594142 E: info@stratascan.co.uk www.stratascan.co.uk</p>		
Scale		
1:1000		
<p>0m 10 20 30 40 50</p>		
Plot	Checked by	Issue No.
A3	SAS	01
Survey date	Drawn by	Figure No.
OCT 05	RAJS	05