



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-

KEY	
	Discrete positive anomaly - possible pit
	Positive anomaly with associated negative response - ferrous object
	Magnetic disturbance - associated with pipe/cable
	Positive linear anomaly - cut feature of possible archaeological origin
	Negative linear anomaly - possible bank or earthwork
	Positive linear anomaly - possible geological origin
	Positive linear anomaly - possibly related to existing track
	Positive area anomaly with negative return - possible kiln
	Area of magnetic debris

Client	WESSEX ARCHAEOLOGY	
Project Title	GEOPHYSICAL SURVEY -	
Job No.	2053	
	TOTTENHAM HOUSE, SAVERNAKE	
Subject	ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES- WALLED GARDEN AREA	
 STRATASCAN™ GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING VINEYARD HOUSE UPPER HOOK ROAD UPTON UPON SEVERN UK WR8 0SA T: +44 (0)1684 592266 F: +44 (0)1684 594142 E: info@stratascan.co.uk www.stratascan.co.uk		
Scale	1:1000	
Plot	Checked by	Issue No.
A3	SAS	01
Survey date	Drawn by	Figure No.
OCT 05	RAJS	08