



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-

KEY	
	Discrete positive anomaly - possible pit
	Positive anomaly with associated negative response - ferrous object
	Magnetic disturbance - associated with pipe/cable
	Positive linear anomaly - cut feature of possible archaeological origin
	Positive linear anomaly with negative response - cut feature with bank of possible archaeological origin
	Area of magnetic interference
	Area of magnetic interference associated with metal fencing around trees

Client  
**ULAS**

Project Title **GEOPHYSICAL SURVEY - BARKBY HALL** Job No. 2062

Subject  
**ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES**

**STRATASCAN™**  
 GEOPHYSICS FOR ARCHAEOLOGY  
 AND ENGINEERING  
 VINEYARD HOUSE  
 UPPER HOOK ROAD  
 UPTON UPON SEVERN  
 UK  
 WR8 0SA  
 T: +44 (0)1684 592266  
 F: +44 (0)1684 594142  
 E: info@stratascan.co.uk  
 www.stratascan.co.uk



Scale **1:1000**  
 0m 10 20 30 40 50

Plot <b>A3</b>	Checked by <b>SAS</b>	Issue No. <b>01</b>
Survey date <b>OCT 05</b>	Drawn by <b>RAJS</b>	Figure No. <b>10</b>