



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-

KEY	
	Moderate resistance linear anomaly - possible structural remains or compacted ground
	Low resistance linear anomaly - cut feature of possible archaeological origin
	High resistance area anomaly - unknown origin
	High resistance area anomaly - possibly related to tree root systems
	Low resistance area anomaly - unknown origin
	Low resistance area anomaly - probable geological/pedological origin

Client  
**ULAS**

Project Title **GEOPHYSICAL SURVEY - BARKBY HALL** Job No. 2062

Subject **ABSTRACTION AND INTERPRETATION OF RESISTANCE ANOMALIES**

**STRATASCAN™**  
 GEOPHYSICS FOR ARCHAEOLOGY  
 AND ENGINEERING  
 VINEYARD HOUSE  
 UPPER HOOK ROAD  
 UPTON UPON SEVERN  
 UK  
 WR8 0SA  
 T: +44 (0)1684 592266  
 F: +44 (0)1684 594142  
 E: info@stratascan.co.uk  
 www.stratascan.co.uk



Scale **1:1000**  
 0m 10 20 30 40 50

Plot <b>A3</b>	Checked by <b>SAS</b>	Issue No. <b>01</b>
Survey date <b>OCT 05</b>	Drawn by <b>RAJS</b>	Figure No. <b>05</b>