



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-

KEY	
	Possible service
	Complex and discrete responses - possible evidence of fragmented structural remains
	Broad crested anomalies relating to underground culvert
	Planar anomalies - may relate to buried surface
	Planar anomalies - weaker evidence of buried surface
	Weak discrete anomalies- weaker evidence of structural remains
	Area of weak complexity- mixed fill
	Broad crested anomalies at depth- possible archaeological origin
	Area of point diffractions- possible services or tree roots
	Area of strong complexity-possibly related to services
	Area of strong complexity- possible structural debris

Client
AOC ARCHAEOLOGY GROUP

Project Title Job No. 2069
GEOPHYSICAL SURVEY- WHITE HORSE HOTEL, ROMSEY

Subject
INTERPRETATION OF GPR DATA

STRATASCAN™
 GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE
 UPPER HOOK ROAD
 UPTON UPON SEVERN
 UK
 WR8 0SA
 T: +44 (0)1684 592266
 F: +44 (0)1684 594142
 E: info@stratascan.co.uk
 www.stratascan.co.uk

Scale **1:300**

Plot A3	Checked by SAS	Issue No. 01
Survey date OCT 05	Drawn by RAJS	Figure No. 06