



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-

  

KEY	
	Possible service
	Complex and discrete responses - possible evidence of fragmented structural remains
	Broad crested anomalies relating to underground culvert
	Planar anomalies - may relate to buried surface
	Planar anomalies - weaker evidence of buried surface
	Weak discrete anomalies- weaker evidence of structural remains
	Area of weak complexity- mixed fill
	Broad crested anomalies at depth- possible archaeological origin
	Area of point diffractions- possible services or tree roots
	Area of strong complexity-possibly related to services
	Area of strong complexity- possible structural debris

  

Client	
AOC ARCHAEOLOGY GROUP	
Project Title	Job No. 2069
GEOPHYSICAL SURVEY -WHITE HORSE HOTEL, ROMSEY, HAMPSHIRE	
Subject	
INTERPRETATION OF GPR DATA- EASTERN HALF	
 <b>STRATASCAN™</b> GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING VINEYARD HOUSE UPPER HOOK ROAD UPTON UPON SEVERN UK WR8 0SA T: +44 (0)1684 592266 F: +44 (0)1684 594142 E: info@stratascan.co.uk www.stratascan.co.uk	
Scale	0m 1 2 3 4 5m
1:150	
Plot	Checked by
A3	SAS
Issue No.	01
Survey date	Drawn by
OCT 05	RAJS
Figure No.	08