



Amendments		
Issue No.	Date	Description
KEY		
	Discrete positive anomaly - possible pit	
	Positive anomaly with associated negative response - ferrous object	
	Positive linear anomaly - cut feature of possible archaeological origin	
	Negative linear anomaly - bank of possible archaeological origin	
	Positive area anomaly related to tumulus	
	Negative area anomaly related to tumulus	
	Positive area anomaly of possible archaeological origin	
	Area of magnetic debris - caused by metallic fence	
	Area of magnetic debris - evidence of ground disturbance	
Client		
BARAS		
Project Title		Job No. 2101
GEOPHYSICAL SURVEY - FELTON, WINTON		
Subject		
ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES- SITE B		
STRATASCAN™		
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING		
VINEYARD HOUSE UPPER HOOK ROAD UPTON UPON SEVERN UK		
WR8 0SA T: +44 (0)1684 592266 F: +44 (0)1684 594142 E: info@stratascan.co.uk www.stratascan.co.uk		
Scale		
1:1000		
Plot	Checked by	Issue No.
A3	SAS	01
Survey date	Drawn by	Figure No.
JAN 05	RAJS	14