



| Amendments | | |
|------------|------|-------------|
| Issue No. | Date | Description |
| - | - | - |
| - | - | - |

KEY

- Discrete positive anomaly - possible pit
- Positive anomaly with associated negative response - ferrous object
- Positive linear anomaly - cut feature of possible archaeological origin
- Negative linear anomaly - bank of possible archaeological origin
- Area of magnetic debris - caused by metallic fence
- Area of magnetic debris - evidence of ground disturbance

Client

BARAS

Project Title Job No. 2101
GEOPHYSICAL SURVEY - FELTON, WINTON

Subject
ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES- SITE A

STRATASCAN™
 GEOPHYSICS FOR ARCHAEOLOGY
 AND ENGINEERING
 VINEYARD HOUSE
 UPPER HOOK ROAD
 UPTON UPON SEVERN
 UK
 WR8 0SA
 T: +44 (0)1684 592266
 F: +44 (0)1684 594142
 E: info@stratascan.co.uk
 www.stratascan.co.uk

Scale **1:500** 0m 5 10 15 20 25m

| | | |
|------------------------------|--------------------------|-------------------------|
| Plot A3 | Checked by SAS | Issue No. 01 |
| Survey date JAN 05 | Drawn by RAJS | Figure No. 08 |