


Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationery Office. Crown Copyright reserved. Licence No: AL 50125A
 Licencee:
 Stratascan Ltd.
 Vineyard House
 Upper Hook Road
 Upton Upon Severn
 WR8 0SA
 OS 100km square = SU



73
72
71
70
69



Survey Area

99 00 01 02 03

Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2016



Site centred on NGR	SU 006 706
Client	CgMs CONSULTING
Project Title	Job No. 9624 GEOPHYSICAL SURVEY - LOW LANE, CALNE, WILTSHIRE
Subject	LOCATION PLAN OF SURVEY AREA

STRATASCAN™
 GEOPHYSICS FOR ARCHAEOLOGY
 AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk



Scale 1:25000
 0m 500m 1000m

Plot	Checked by	Issue No.
A3	DGE	01
Survey date	Drawn by	Figure No.
MAR 16	TR	01



Amendments

Issue No.	Date	Description
-	-	-

© Stratascan Ltd - 2016

OS GRID REFERENCES

A	400499.56, 170549.28
B	400732.54, 170738.27
C	400755.84, 170757.17
D	400779.14, 170776.07

Client
CgMs CONSULTING

Project Title **GEOPHYSICAL SURVEY - LOW LANE, CALNE, WILTSHIRE** Job No. 9624

Subject
LOCATION OF SURVEY GRIDS AND REFERENCING


STRATASCANTM
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
VINEYARD HOUSE UPTON UPON SEVERN WR8 0SA
T: 01684 592266
E: info@stratascan.co.uk
www.stratascan.co.uk






Scale 1:1000
0m 10 20 30 40 50

Plot A3	Checked by DGE	Issue No. 01
Survey date MAR 16	Drawn by RD	Figure No. 02



Amendments

Issue No.	Date	Description
-	-	-

© Stratascan Ltd - 2016

Plotting parameters

Maximum + 100nT (red)
Minimum -100nT (blue)

Client
CgMs CONSULTING

Project Title Job No. 9624
**GEOPHYSICAL SURVEY - LOW LANE,
CALNE, WILTSHIRE**

Subject
**COLOUR PLOT OF GRADIOMETER
DATA SHOWING EXTREME VALUES**

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY
AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

GPR ASSOCIATION


SUMO SUMO GROUP MEMBER

ims ISO 9001 certified

ims ISO 14001 certified

Scale 1:1000


Plot A3	Checked by DGE	Issue No. 01
Survey date MAR 16	Drawn by RD	Figure No. 03



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2016




Client
CgMs CONSULTING

Project Title **GEOPHYSICAL SURVEY - LOW LANE, CALNE, WILTSHIRE** Job No. 9624


Subject
PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk





Plot A3	Checked by DGE	Issue No. 01
Survey date MAR 16	Drawn by RD	Figure No. 04





Amendments

Issue No.	Date	Description
-	-	-
-	-	-
© Stratascan Ltd - 2016		





PROBABLE ARCHAEOLOGY

-  Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
-  Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin








POSSIBLE ARCHAEOLOGY

-  Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
-  Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin

MEDIEVAL/POST-MEDIEVAL AGRICULTURE

-  Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow
-  Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
-  Linear anomaly - probably related to a former field boundary not present on available mapping
-  Linear anomaly - related to a former field boundary present on available mapping

OTHER ANOMALIES

-  Linear anomaly - probably related to pipe, cable or other modern service
-  Linear anomaly - possibly related to land drain
-  Magnetic disturbance associated with nearby metal object such as service or field boundary
-  Strong magnetic debris - possible disturbed or made ground
-  Scattered magnetic debris
-  Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin
-  Magnetic spike - probable ferrous object

Client
CgMs CONSULTING

Project Title Job No. 9624
GEOPHYSICAL SURVEY - LOW LANE, CALNE, WILTSHIRE

Subject
ABSTRACTION AND INTERPRETATION OF GRADIOMETER ANOMALIES

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



GPR
ASSOCIATION



SUMO
GROUP
MEMBER



UKAS
ISO 9001
certified

UKAS
ISO 14001
certified

Scale **1: 1000**
0m 10 20 30 40 50

Plot A3	Checked by DGE	Issue No. 01
Survey date MAR 16	Drawn by RD	Figure No. 05