

Reproduced from Ordnance Survey's 1:25 000 map of 1998 with the permission of the controller of Her Majesty's Stationary Office. Crown Copyright reserved. Licence No: AL 50125A
 Licences:
 Stratascan Ltd
 Vineyard House
 Upper Hook Road
 Upton Upon Severn
 WR8 0SA
 OS 100km square = TM


Survey Area



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013



Site centred on NGR TM 312 569

KEY

- Targeted earth resistance survey area
- Trial survey areas
- Survey area
- Survey grid
- GPS referencing point

OS REFERENCING INFORMATION

A	631200.59, 256958.70
B	631260.46, 256891.51
C	631322.16, 256874.73
D	631269.02, 256802.10
E	631310.28, 257321.18
F	631310.35, 257021.18

Job No. J5892 Survey Date OCT 2013

Client
AMEC ENVIRONMENT & INFRASTRUCTURE UK LTD

Project Title
GEOPHYSICAL SURVEY - WICKHAM MARKET, SUFFOLK

Subject

SITE LOCATION AND SURVEY AREA & REFERENCING

STRATASCAN
 GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE UPTON UPON SEVERN WR8 0SA
 T: 01684 592266 E: info@stratascan.co.uk www.stratascan.co.uk

GPR ASSOCIATION
SUMO GROUP MEMBER
 ISO 9001 certified
 ISO 14001 certified

Scale 1:2000
 0m 20 40 60 80 100 120m

Plot A1	Checked by DGE	Issue No. 01
Date NOV 2013	Drawn by JTJ, OJP	Figure No. 01



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

Plotting parameters

Maximum +100nT (red)
Minimum -100nT (blue)

+100nT
+10nT
-10nT
-100nT

Job No.	J5892	Survey Date	OCT 2013
---------	-------	-------------	----------

Client
AMEC ENVIRONMENT & INFRASTRUCTURE UK LTD

Project Title
GEOPHYSICAL SURVEY - WICKHAM MARKET, SUFFOLK

Subject
COLOUR PLOT OF MINIMALLY PROCESSED GRADIOMETER DATA SHOWING EXTREME VALUES


STRATASCANTM
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING

VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk

GPR ASSOCIATION

SUMO GROUP MEMBER

ISO 9001 certified
ISO 14001 certified




Plot	A1	Checked by	DGE	Issue No.	01
Date	NOV 2013	Drawn by	JTJ, OJP	Figure No.	02

Lower Hacheston



Amendments		
Issue No.	Date	Description
-	-	-
-	-	-
-	-	-

© Stratascan Ltd - 2013



Job No. J5892 Survey Date OCT 2013

Client
AMEC ENVIRONMENT & INFRASTRUCTURE UK LTD

Project Title
GEOPHYSICAL SURVEY - WICKHAM MARKET, SUFFOLK

Subject
PLOT OF PROCESSED GRADIOMETER DATA

STRATASCAN™
 GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk



Scale 0m 10 20 30 40 50 60 70 80m
1:1250

Plot A1	Checked by DGE	Issue No. 01
Date NOV 2013	Drawn by JTJ, OJP	Figure No. 03


















Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

KEY

- PROBABLE ARCHAEOLOGY**
-  Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
 -  Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin
 -  Linear anomaly - associated with former field boundaries
 -  Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow
- POSSIBLE ARCHAEOLOGY**
-  Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
 -  Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin
 -  Moderate strength discrete anomaly - possible thermoremanent feature
 -  Magnetic spike - probable ferrous object
- OTHER ANOMALIES**
-  Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
 -  Linear anomaly - probably related to pipe, cable or other modern service
 -  Linear anomaly - possibly related to land drain
 -  Magnetic disturbance associated with nearby metal object such as service or field boundary
 -  Strong magnetic debris - possible disturbed or made ground
 -  Scattered magnetic debris
 -  Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin

Job No.	J5892	Survey Date	OCT 2013
---------	-------	-------------	----------

Client
AMEC ENVIRONMENT & INFRASTRUCTURE UK LTD

Project Title
GEOPHYSICAL SURVEY - WICKHAM MARKET, SUFFOLK

Subject

INTERPRETATION

STRATASCAN™
 GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE UPTON UPON SEVERN WR8 0SA T: 01684 592266 E: info@stratascan.co.uk www.stratascan.co.uk


GPR ASSOCIATION
SUMO GROUP MEMBER



Scale 1:1250
 0m 10 20 30 40 50 60 70 80m

Plot	A1	Checked by	DGE	Issue No.	01
Date	NOV 2013	Drawn by	JTJ, OJP	Figure No.	04


Lower Hacheston



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013



Job No. J5892 Survey Date OCT 2013

Client
AMEC ENVIRONMENT & INFRASTRUCTURE UK LTD

Project Title
GEOPHYSICAL SURVEY - WICKHAM MARKET, SUFFOLK


Subject
PLOT OF PROCESSED EARTH RESISTANCE DATA

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
VINEYARD HOUSE T: 01684 592266
UPTON UPON SEVERN E: info@stratascan.co.uk
WR8 0SA www.stratascan.co.uk



Scale 0m 10 20 30 40 50 60 70 80m
1:1250

Plot A1	Checked by DGE	Issue No. P1
Date NOV 2013	Drawn by JTJ, OJP	Figure No. 05



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

KEY

EARTH RESISTANCE

- Survey area boundary
- Area of high resistivity- possible compacted ground
- Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
- Area of low resistivity- possible cut feature
- Low resistivity linear anomaly - possible cut feature

Job No.	J5892	Survey Date	OCT 2013
---------	-------	-------------	----------

Client
AMEC ENVIRONMENT & INFRASTRUCTURE UK LTD

Project Title
GEOPHYSICAL SURVEY - WICKHAM MARKET, SUFFOLK



Subject
INTERPRETATION OF EARTH RESISTANCE DATA

STRATASCAN™
GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
VINEYARD HOUSE UPTON UPON SEVERN WR8 0SA
T: 01684 592266 E: info@stratascan.co.uk www.stratascan.co.uk

GPR ASSOCIATION
SUMO GROUP MEMBER
ISO 9001 certified
ISO 14001 certified
UKAS 29001 certified

Scale 1:1250
0m 10 20 30 40 50 60 70 80m

Plot	A1	Checked by	DGE	Issue No.	01
Date	NOV 2013	Drawn by	JTJ, OJP	Figure No.	06



Amendments

Issue No.	Date	Description
-	-	-
-	-	-

© Stratascan Ltd - 2013

KEY

EARTH RESISTANCE

	Survey area boundary
	Area of high resistivity - possible compacted ground
	Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
	Area of low resistivity - possible cut feature

KEY

PROBABLE ARCHAEOLOGY

	Positive anomaly / weak positive anomaly - probable cut feature of archaeological origin
	Negative anomaly / weak negative anomaly - probable bank or earthwork of archaeological origin
	Moderate strength discrete anomaly - probable thermoremanent feature
	Widely spaced curving parallel linear anomalies - probably related to ridge-and-furrow

POSSIBLE ARCHAEOLOGY

	Positive anomaly / weak positive anomaly - possible cut feature of archaeological origin
	Negative anomaly / weak negative anomaly - possible bank or earthwork of archaeological origin
	Moderate strength discrete anomaly - possible thermoremanent feature
	Magnetic spike - probable ferrous object

OTHER ANOMALIES

	Closely spaced parallel linear anomalies - probably related to agricultural activity such as ploughing
	Linear anomaly - probably related to pipe, cable or other modern service
	Linear anomaly - possibly related to land drain
	Magnetic disturbance associated with nearby metal object such as service or field boundary
	Strong magnetic debris - possible disturbed or made ground
	Scattered magnetic debris
	Area of amorphous magnetic variation - probable natural (e.g. geological or pedological) origin

Job No.	J5892	Survey Date	OCT 2013
---------	-------	-------------	----------

Client
AMEC ENVIRONMENT & INFRASTRUCTURE UK LTD

Project Title
GEOPHYSICAL SURVEY - WICKHAM MARKET, SUFFOLK

Subject
COMBINED INTERPRETATION OF EARTH RESISTANCE AND GRADIOMETER

STRATASCANTM
 GEOPHYSICS FOR ARCHAEOLOGY AND ENGINEERING
 VINEYARD HOUSE T: 01684 592266
 UPTON UPON SEVERN E: info@stratascan.co.uk
 WR8 0SA www.stratascan.co.uk



Scale 0m 10 20 30 40 50 60 70 80m
1:1250

Plot	A1	Checked by	DGE	Issue No.	01
Date	NOV 2013	Drawn by	JTJ, OJP	Figure No.	07