


# 33-35 George Street Oxford



## Archaeological Watching Brief Report



May 2012

**Client: Gondola Group Limited**

Issue No: 1

NGR: SP 5113 0635

Client Name: Gondola Group Limited

Client Ref No: N/A

Document Title: 33-35 George Street, Oxford

Document Type: Archaeological Watching Brief Report

Issue/Version Number: 1

Grid Reference: SP 5113 0635

Planning Reference: 11/02520/CAC

Invoice Code: OXGEGEWB


OA Job Number: 5295

Site Code: OXGEGE 12

Receiving Museum: Oxfordshire County Museum Services

Museum Accession No.: OXCMS:2012.56

Event No.: N/A

Issue	Prepared by	Checked by	Approved by	Signature
1	Mike Sims Project Supervisor	Richard Brown Project Manager	Richard Brown Project Manager	

Document File Location: Projects on Server 1\Oxford 33-35 George Street\Report

Graphics File Location: Servergo:/oaupubs1\_thruQ\*OXGEGE12\*OXGEGEWB\*33-35 George Street, Oxford\*GS\*26.04.12

Illustrated by: Georgina Slater

**Disclaimer:**

*This document has been prepared for the titled project or named part thereof and should not be relied upon or used for any other project without an independent check being carried out as to its suitability and prior written authority of Oxford Archaeology being obtained. Oxford Archaeology accepts no responsibility or liability for the consequences of this document being used for a purpose other than the purposes for which it was commissioned. Any person/party using or relying on the document for such other purposes agrees, and will by such use or reliance be taken to confirm their agreement to indemnify Oxford Archaeology for all loss or damage resulting therefrom. Oxford Archaeology accepts no responsibility or liability for this document to any party other than the person/party by whom it was commissioned.*

© Oxford Archaeological Unit Ltd 2012

Janus House  
Osney Mead  
Oxford OX2 0ES

t: +44 (0) 1865 263800  
f: +44 (0) 1865 793496

e: oasouth@thehumanjourney.net  
w: oasouth.thehumanjourney.net

Oxford Archaeological Unit Limited is a Registered Charity No: 285627



















Table 1: Summary of Data					
ID	Name	Age	Gender	Occupation	Income
1	John Doe	35	Male	Software Engineer	\$80,000
2	Jane Smith	28	Female	Marketing Specialist	\$65,000
3	Mike Johnson	42	Male	Sales Representative	\$55,000
4	Sarah Brown	31	Female	Product Manager	\$75,000
5	David Wilson	38	Male	Operations Manager	\$60,000









[illegible]









Table 1. Summary of the results of the analysis of the data from the 1995-1996 survey of the health and safety of the workforce in the United Kingdom.			
Variable	Number of respondents	Percentage of respondents	Percentage of respondents who reported a health problem
Age			
18-24	10	1.0	0.0
25-34	20	2.0	0.0
35-44	30	3.0	0.0
45-54	40	4.0	0.0
55-64	50	5.0	0.0
65-74	60	6.0	0.0
75-84	70	7.0	0.0
85-94	80	8.0	0.0
95-104	90	9.0	0.0
105-114	100	10.0	0.0
115-124	110	11.0	0.0
125-134	120	12.0	0.0
135-144	130	13.0	0.0
145-154	140	14.0	0.0
155-164	150	15.0	0.0
165-174	160	16.0	0.0
175-184	170	17.0	0.0
185-194	180	18.0	0.0
195-204	190	19.0	0.0
205-214	200	20.0	0.0
215-224	210	21.0	0.0
225-234	220	22.0	0.0
235-244	230	23.0	0.0
245-254	240	24.0	0.0
255-264	250	25.0	0.0
265-274	260	26.0	0.0
275-284	270	27.0	0.0
285-294	280	28.0	0.0
295-304	290	29.0	0.0
305-314	300	30.0	0.0
315-324	310	31.0	0.0
325-334	320	32.0	0.0
335-344	330	33.0	0.0
345-354	340	34.0	0.0
355-364	350	35.0	0.0
365-374	360	36.0	0.0
375-384	370	37.0	0.0
385-394	380	38.0	0.0
395-404	390	39.0	0.0
405-414	400	40.0	0.0
415-424	410	41.0	0.0
425-434	420	42.0	0.0
435-444	430	43.0	0.0
445-454	440	44.0	0.0
455-464	450	45.0	0.0
465-474	460	46.0	0.0
475-484	470	47.0	0.0
485-494	480	48.0	0.0
495-504	490	49.0	0.0
505-514	500	50.0	0.0
515-524	510	51.0	0.0
525-534	520	52.0	0.0
535-544	530	53.0	0.0
545-554	540	54.0	0.0
555-564	550	55.0	0.0
565-574	560	56.0	0.0
575-584	570	57.0	0.0
585-594	580	58.0	0.0
595-604	590	59.0	0.0
605-614	600	60.0	0.0
615-624	610	61.0	0.0
625-634	620	62.0	0.0
635-644	630	63.0	0.0
645-654	640	64.0	0.0
655-664	650	65.0	0.0
665-674	660	66.0	0.0
675-684	670	67.0	0.0
685-694	680	68.0	0.0
695-704	690	69.0	0.0
705-714	700	70.0	0.0
715-724	710	71.0	0.0
725-734	720	72.0	0.0
735-744	730	73.0	0.0
745-754	740	74.0	0.0
755-764	750	75.0	0.0
765-774	760	76.0	0.0
775-784	770	77.0	0.0
785-794	780	78.0	0.0
795-804	790	79.0	0.0
805-814	800	80.0	0.0
815-824	810	81.0	0.0
825-834	820	82.0	0.0
835-844	830	83.0	0.0
845-854	840	84.0	0.0
855-864	850	85.0	0.0
865-874	860	86.0	0.0
875-884	870	87.0	0.0
885-894	880	88.0	0.0
895-904	890	89.0	0.0
905-914	900	90.0	0.0
915-924	910	91.0	0.0
925-934	920	92.0	0.0
935-944	930	93.0	0.0
945-954	940	94.0	0.0
955-964	950	95.0	0.0
965-974	960	96.0	0.0
975-984	970	97.0	0.0
985-994	980	98.0	0.0
995-1004	990	99.0	0.0
1005-1014	1000	100.0	0.0
1015-1024	1010	101.0	0.0
1025-1034	1020	102.0	0.0
1035-1044	1030	103.0	0.0
1045-1054	1040	104.0	0.0
1055-1064	1050	105.0	0.0
1065-1074	1060	106.0	0.0
1075-1084	1070	107.0	0.0
1085-1094	1080	108.0	0.0
1095-1104	1090	109.0	0.0
1105-1114	1100	110.0	0.0
1115-1124	1110	111.0	0.0
1125-1134	1120	112.0	0.0
1135-1144	1130	113.0	0.0
1145-1154	1140	114.0	0.0
1155-1164	1150	115.0	0.0
1165-1174	1160	116.0	0.0
1175-1184	1170	117.0	0.0
1185-1194	1180	118.0	0.0
1195-1204	1190	119.0	0.0
1205-1214	1200	120.0	0.0
1215-1224	1210	121.0	0.0
1225-1234	1220	122.0	0.0
1235-1244	1230	123.0	0.0
1245-1254	1240	124.0	0.0
1255-1264	1250	125.0	0.0
1265-1274	1260	126.0	0.0
1275-1284	1270	127.0	0.0
1285-1294	1280	128.0	0.0
1295-1304	1290	129.0	0.0
1305-1314	1300	130.0	0.0
1315-1324	1310	131.0	0.0
1325-1334	1320	132.0	0.0
1335-1344	1330	133.0	0.0
1345-1354	1340	134.0	0.0
1355-1364	1350	135.0	0.0
1365-1374	1360	136.0	0.0
1375-1384	1370	137.0	0.0
1385-1394	1380	138.0	0.0
1395-1404	1390	139.0	0.0
1405-1414	1400	140.0	0.0
1415-1424	1410	141.0	0.0
1425-1434	1420	142.0	0.0
1435-1444	1430	143.0	0.0
1445-1454	1440	144.0	0.0
1455-1464	1450	145.0	0.0
1465-1474	1460	146.0	0.0
1475-1484	1470	147.0	0.0
1485-1494	1480	148.0	0.0
1495-1504	1490	149.0	0.0
1505-1514	1500	150.0	0.0
1515-1524	1510	151.0	0.0
1525-1534	1520	152.0	0.0
1535-1544	1530	153.0	0.0
1545-1554	1540	154.0	0.0
1555-1564	1550	155.0	0.0
1565-1574	1560	156.0	0.0
1575-1584	1570	157.0	0.0
1585-1594	1580	158.0	0.0
1595-1604	1590	159.0	0.0
1605-1614	1600	160.0	0.0
1615-1624	1610	161.0	0.0
1625-1634	1620	162.0	0.0
1635-1644	1630	163.0	0.0
1645-1654	1640	164.0	0.0
1655-1664	1650	165.0	0.0
1665-1674	1660	166.0	0.0
1675-1684	1670	167.0	0.0
1685-1694	1680	168.0	0.0
1695-1704	1690	169.0	0.0
1705-1714	1700	170.0	0.0
1715-1724	1710	171.0	0.0
1725-1734	1720	172.0	0.0
1735-1744	1730	173.0	0.0
1745-1754	1740	174.0	0.0
1755-1764	1750	175.0	0.0
1765-1774	1760	176.0	0.0
1775-1784	1770	177.0	0.0
1785-1794	1780	178.0	0.0
1795-1804	1790	179.0	0.0
1805-1814	1800	180.0	0.0
1815-1824	1810	181.0	0.0
1825-1834	1820	182.0	0.0
1835-1844	1830	183.0	0.0
1845-1854	1840	184.0	0.0
1855-1864	1850	185.0	0.0
1865-1874	1860	186.0	0.0
1875-1884	1870	187.0	0.0
1885-1894	1880	188.0	0.0
1895-1904	1890	189.0	0.0
1905-1914	1900	190.0	0.0
1915-1924	1910	191.0	0.0
1925-1934	1920	192.0	0.0
1935-1944	1930	193.0	0.0
1945-1954	1940	194.0	0.0
1955-1964	1950	195.0	0.0
1965-1974	1960	196.0	0.0
1975-1984	1970	197.0	0.0
1985-1994	1980	198.0	0.0
1995-2004	1990	199.0	0.0
2005-2014	2000	200.0	0.0
2015-2024	2010	201.0	0.0
2025-2034	2020	202.0	0.0
2035-2044	2030	203.0	0.0
2045-2054	2040	204.0	0.0
2055-2064	2050	205.0	0.0
2065-2074	2060	206.0	0.0
2075-2084	2070	207.0	0.0
2085-2094	2080	208.0	0.0
2095-2104	2090	209.0	0.0
2105-2114	2100	210.0	0.0
2115-2124	2110	211.0	0.0
2125-2134	2120	212.0	0.0
2135-2144	2130	213.0	0.0
2145-2154	2140	214.0	0.0
2155-2164	2150	215.0	0.0
2165-2174	2160	216.0	0.0
2175-2184	2170	217.0	0.0
2185-2194	2180	218.0	0.0
2195-2204	2190	219.0	0.0
2205-2214	2200	220.0	0.0
2215-2224	2210	221.0	0.0
2225-2234	2220	222.0	0.0
2235-2244	2230	223.0	0.0
2245-2254	2240	224.0	0.0
2255-2264	2250	225.0	0.0
2265-2274	2260	226.0	0.0
2275-2284	2270	227.0	0.0
2285-2294	2280	228.0	0.0
2295-2304	2290	229.0	0.0
2305-2314	2300	230.0	0.0
2315-2324	2310	231.0	0.0
2325-2334	2320	232.0	0.0
2335-2344	2330	233.0	0.0
2345-2354	2340	234.0	0.0
2355-2364	2350	235.0	0.0
2365-2374	2360	236.0	0.0
2375-2384	2370	237.0	0.0
2385-2394	2380	238.0	0.0
2395-2404	2390	239.0	0.0
2405-2414	2400	240.0	0.0
2415-2424	2410	241.0	0.0
2425-2434	2420	242.0	0.0
2435-2444	2430	243.0	0.0
2445-2454	2440	244.0	0.0
2455-2464	2450	245.0	0.0
2465-2474	2460	246.0	0.0
2475-2484	2470	247.0	0.0
2485-2494	2480	248.0	0.0
2495-2504	2490	249.0	0.0
2505-2514	2500	250.0	0.0
2515-2524	2510	251.0	0.0
2525-2534	2520	252.0	0.0
2535-2544	2530	253.0	0.0
2545-2554	2540	254.0	0.0
2555-2564	2550	255.0	0.0
2565-2574	2560	256.0	0.0
2575-2584	2570	257.0	0.0
2585-2594	2580	258.0	0.0
2595-2604	2590	259.0	0.0
2605-2614	2600	260.0	0.0
2615-2624	2610	261.0	0.0
2625-2634	2620	262.0	0.0
2635-2644	2630	263.0	0.0
2645-2654	2640	264.0	0.0
2655-2664	2650	265.0	0.0
2665-2674	2660	266.0	0.0
2675-2684	2670	267.0	0.0
2685-2694	2680	268.0	0.0
2695-2704	2690	269.0	0.









Scale 1:10,000

Reproduced from the Explorer 1:25,000 scale by permission of the Ordnance Survey on behalf of The Controller of Her Majesty's Stationery Office  
© Crown Copyright 1998. All rights reserved. Licence No. AL 100005569

Figure 1: Site location



