Land North-East of Bridgwater Somerset Phase 2



Archaeological Evaluation Report



April 2010

Client: CgMs on behalf of Hallam Land Management Ltd

Issue No: Final OA Job No: 4695 NGR: ST 313 392



Client Name:	CgMs on behalf of Hallam Land Management Ltd
Client Ref No:	
Document Title:	Land North-East of Bridgwater, Somerset. Phase 2
Document Type:	Evaluation Report
Issue/Version Number:	Final
Grid Reference:	NGR: ST 313 392
Planning Reference:	
OA Job Number:	4695
Site Code:	TTNCM:247/2009
Invoice Code:	BRNELEV2
Receiving Museum:	Somerset County Museum
Museum Accession No:	28324

Event No:

Issue	Prepared by	Checked by	Approved by	Signature	AL CAL
	Katrina Anker	Stuart Foreman	Nick Shepherd	X	Wertha
1	Project Officer	Senior Project	Regional Manager	//	
L		Manager		Date: //	25/4/10

Document File Location Graphics File Location Illustrated by Server 1:\Projects\Bridgwater Somerset Servergo:\B-invoice codes\BRNELEV2 Julia Moxham

Disclaimer:

This document has been prepared for the titled project or named part thereof and should not be relied upon or used for any other project without an independent check being carried out as to its suitability and prior written authority of Oxford Archaeology being obtained. Oxford Archaeology accepts no responsibility or liability for the consequences of this document being used for a purpose other than the purposes for which it was commissioned. Any person/party using or relying on the document for such other purposes agrees, and will by such use or reliance be taken to confirm their agreement to indemnify Oxford Archaeology for all loss or damage resulting therefrom. Oxford Archaeology accepts no responsibility or liability or liability for this document to any party other than the person/party by whom it was commissioned.

© Oxford Archaeological Unit Ltd 2010

Janus House Osney Mead Oxford OX2 0ES t: +44 (0) 1865 263800 e: oasouth@thehumanjourney.net f: +44 (0) 1865 793496 w: oasouth.thehumanjourney.net Oxford Archaeological Unit Limited is a Registered Charity No: 285627



Land North-East of Bridgwater, Somerset

Phase 2

Archaeological Evaluation Report

Table of Contents

S	ummary	
1	Introduc	tion4
	1.1	Location and scope of work4
	1.2	Geology and topography4
	1.3	Archaeological and historical background4
	1.4	Acknowledgements5
2	Evaluation	on Aims and Methodology6
	2.1	Aims6
	2.2	Methodology6
3	Results.	8
	3.1	Introduction and presentation of results8
	3.2	General soils and ground conditions
	3.3	Finds summary8
4	Discussi	on9
	4.1	Reliability of field investigation9
	4.2	Interpretation9
	4.3	Significance9
A	ppendix A	A. Trench Descriptions and Context Inventory10
Α	ppendix E	3. Bibliography and References26
A	ppendix (C. Summary of Site Details27



List of Figures

- Fig. 1 Site location
- Fig. 2 Trench location
- Fig. 3 Trench location
- Fig. 4 Representative sections 4901, 5400, 6301, 7800
- Fig. 5 Sections 5301, 7501, 7601
- Plates Trench 49, Trench 57, Section 5400, Section 7901

Summary

During March and April 2010 Oxford Archaeology (OA) carried out a field evaluation on land to the north-east of Bridgwater, Somerset. The Phase 2 evaluation followed earlier trial trenching conducted by OA during December 2009 and January 2010 (OA 2010b).

The current evaluation comprised machine excavation of 31 trenches (nubered 49 to 79) measuring 50 m by 1.9 m. 19 trenches were excavated to a maximum depth of 1 m and 12 trenches were machined to a depth of 2.20 m. A test pit was also excavated at one end of the deeper trenches to the maximum safe reach of the excavator.

No significant archaeological features were identified. A number of recent linear features, undated but at the top of the sediment sequence, were observed in four of the trenches. These linear features, which cut through the subsoil, were visible on the ground as distinct depressions prior to machining and are most likely associated with modern land drainage. A fragment of a modern 3 inch fence post was observed at the base of one of these features.

In trench 76 an undated vertical sided pit or ditch terminal was observed. This feature, again cut through the subsoil, contained a mixed backfill, and is possibly related to the installation of the nearby water main.

The deposits encountered during the evaluation were mostly sterile; the only finds recovered were three small fragments of post-medieval pottery from the topsoil of trench 55. No other finds or ecofacts were recovered.

The alluvial sequence was broadly uniform across the northern area of the evaluation. Three trenches in the southern area showed some slight variation (trenches 74, 75 and 77). Trench 74 was the only trench that exposed peat at 4.50 m below current ground level. Trenches 75 and 77 showed distinct alluvial layers not seen in other trenches.

Access to the trenches was restricted due to the wet ground conditions and unstable trench sides and no personnel entered the deeper trenches. Visibility was good during the excavation of all trenches, despite the ground conditions.



1 INTRODUCTION

1.1 Location and scope of work

- 1.1.1 Between 29th March and 16th April 2010 Oxford Archaeology (OA) carried out a field evaluation on land at Little Sydenham Farm, near Bridgwater, Somerset, centred on NGR: ST 313 392 (Fig.1). The evaluation was undertaken on behalf of CgMs for Hallam Land Management Ltd. The area evaluated was *c* 18 hectares.
- 1.1.2 The evaluation consisted of 31 trenches, each 1.9 m wide and 50 m long. Nineteen trenches were machine excavated to a maximum safe working depth of 1 m and 12 trenches were machined to a depth of 2.20 m (Figs. 2 and 3). A test pit was excavated at one end of each of the deeper trenches, to the maximum reach of the excavator. No personnel entered the deeper trenches as no archaeological remains were encountered. Should archaeological remains have been present, the deeper trenches would have been battered to a safe angle to enable investigation.

1.2 Geology and topography

- 1.2.1 The site lies in the valley of the river Parrett, within the Somerset Levels, at heights of between *c* 6 m and 8 m OD. The site is bordered to the east by the M5 motorway, and to the west by the Penzance to Bristol railway. Current land use is a mixture of pastoral and arable.
- 1.2.2 The underlying geology is identified as deposits of Upper Keuper Marl, overlain by bands of riverine alluvium, interspersed with isolated peat deposits. The Holocene alluvial sequence is up to 22 m thick (OA 2008).

1.3 Archaeological and historical background

- 1.3.1 There are no records of archaeological features or finds from the earlier or later prehistoric periods within the site, and there is only limited evidence from the vicinity of the site. However, previous archaeological investigations within the Somerset levels have revealed significant evidence for occupation and exploitation of the wetland resources from the Mesolithic to Iron Age periods. The paucity of known evidence from the area of the site may be a function of its proximity to the tidal floodplain of the river Parrett, as seasonal inundations are not conducive to settlement. Any such prehistoric evidence that is present would, however, have been sealed by later episodes of alluvial deposition (CgMs 2009).
- 1.3.2 There are no Roman remains recorded within the site, although remains of this date have been recorded within a 1 km radius of the site. These comprise a major settlement (and possible port) on the former course of the river Parrett on the Crandon Bridge to Puriton road, and a large linear settlement at Down end and Chilton Trinity, to the west of the application area. Roman roads and salterns have also been recorded in the vicinity of the site.
- 1.3.3 The site appears to have been in agricultural use from the Saxon to the post-medieval periods, although only a few medieval finds have been recovered. The deserted medieval village of Horsey, a Scheduled Monument (SAM No. 33729), lies to the east of the site, on the opposite side of the M5.
- 1.3.4 To further examine the potential of the site, a geoarchaeological assessment of the application area was undertaken (OA 2008). This involved a geophysical survey (combined with LIDAR data), and a programme of boreholes and test pits.



1.3.5 The geoarchaeological assessment revealed four zones of sedimentation. Two of these (Zones A and C) represented large channel systems, one a channel edge environment (Zone B) and one an area of alluvial floodplain undisturbed by former channel activity (Zone D). The channel systems contained localised peat deposits located between 2 m and -2.5 m OD. These deposits have the potential to contain waterlogged structures from the Neolithic and Bronze Ages. They are overlain by considerable depths of later alluvial deposits which have the potential to contain remains of Roman, Saxon, medieval or post-medieval date. The evaluation was situated on the area of zone C and D (OA, 2008).

1.4 Acknowledgements

- 1.4.1 The evaluation was commissioned by Rob Bourn of CgMs on behalf of Hallam Land Management Ltd (CgMs 2009) and WSI approved by Steve Membery of Somerset County Council.
- 1.4.2 The fieldwork was managed for OA by Stuart Foreman and conducted by Katrina Anker with the assistance of Chris Richardson and Abigail Brown.
- 1.4.3 Thanks to John Bloomfield of Innovia Limited, for facilitating access to Innovia-owned land.



2 EVALUATION AIMS AND METHODOLOGY

2.1 Aims

General

2.1.1 The aims of the evaluation were to determine the location, extent, date, character and state of preservation of any archaeological remains surviving within the study area. Attention was to be given to remains of all periods including evidence for past environments, with provision for environmental sampling included. However, the depth of the evaluation trenches was limited. 19 trenches were excavated to the depth of the main zone of construction impact, the top 1 m of the sediment sequence and 12 were excavated to a depth of 2.20 m. Roman and later sediments could potentially have been present at these depths, by comparison with other sites in the vicinity. Prehistoric remains are expected to be at greater depth.

Detailed aims and objectives

- 2.1.2 (i) To determine or confirm the general nature of any remains present.
 - (ii) To determine or confirm the approximate date or date range of any remains, by means of artefactual or other evidence.
 - (iii) To determine or confirm the approximate extent of any remains.
 - (iv) To determine the condition and state of preservation of any remains.
 - (v) To determine the degree of complexity of the horizontal and/or vertical stratigraphy present.
 - (vi) To determine or confirm the likely range, quality and quantity of any artefactual evidence present.
 - (vii) To determine the potential of the site to provide palaeo-environmental and/or economic evidence.

2.2 Methodology

- 2.2.1 All trenches, with the exception of trench 79, were laid out by a surveyor using a GPS system tied into the Ordnance Survey grid. Trench 79, an extra trench added during the evaluation, was set out using tapes from previously surveyed reference points. All levels were related to Ordnance Survey datum level.
- 2.2.2 All trenches were scanned with a Cable Avoidance Tool prior to excavation. Where buried or overhead services were present, trenches were moved to allow a safe exclusion zone, and the new locations recorded (Figs. 2 and 3). All plant was fitted with boom height restrictors and was supervised by a banksman when traversing below overhead cables.
- 2.2.3 Trenches were excavated using a toothless ditching bucket under close archaeological supervision. Topsoil and subsoil were stored separately and reinstated in reverse order of excavation. Turf was removed and stored separately under ecological direction.
- 2.2.4 19 trenches were excavated to a depth of 1 m. The remaining trenches were excavated to 2.20 m below ground level. Due to the laminated nature of the sandy sediments encountered at greater depths, the sides of the deeper trenches proved highly unstable, so stepping was not carried out routinely. Had archaeological remains



have been encountered within the deeper trenches, the sides would have been battered to a safe working angle to allow access, but this was not required. A test pit was excavated at one end of the deeper trenches to the maximum safe reach of the excavator. Test pits were also excavated at both ends of trench 79.

- 2.2.5 A representative section was cleaned, photographed and recorded in trenches excavated to 1 m (Fig. 4). In the deeper trenches only photographs and measurements were taken. All trenches were photographed with black and white 35 mm film. A digital photographic record was also maintained (see Plates 1-4 for representative trench and section photographs). All trenches had Ordnance Datum levels recorded at ground level at both ends and where safe, at three points along the base.
- 2.2.6 Due to flooding, trenches were backfilled soon after they had been recorded with the prior agreement of the Somerset County Council Archaeological Officer.
- 2.2.7 The excavation of all trenches were monitored for the presence of great crested newts by an ecologist from FCPR Ecology.



3 RESULTS

3.1 Introduction and presentation of results

3.1.1 No significant archaeological features or artefacts were identified in the course of the evaluation. Descriptions of all deposits and details of trenches are tabulated in Appendix 1.

3.2 General soils and ground conditions

- 3.2.1 The sediment sequence in all trenches was covered by topsoil layer 0.14 0.30 thick. The majority of trenches contained a subsoil (a buried ploughsoil, essentially re-worked alluvium), which was between 0.12 m and 0.4 m thick. This subsoil was generally not recorded towards the centre of the evaluated area, perhaps due to variations in agricultural practices or differential visibility.
- 3.2.2 All trenches contained alluvial deposits which were generally mid to light yellow or grey brown silty clays, becoming greyer with depth and with occasional manganese or iron staining.
- 3.2.3 The alluvial sequence was fairly uniform across the site. Slight variations, however, were apparent in trenches 75 and 77.
- 3.2.4 In trench 75 a thin band (0.10 m) of light grey clay was observed across the length of the trench at approximately 5.70 m OD. This deposit was only observed in this trench and may represent a localised flooding event (Fig. 5 section 7501).
- 3.2.5 A thicker band of of mid grey brown silty clay was observed in trench 77. This deposit, located at 5 m OD, again may represent a localised flooding event.
- 3.2.6 Peat was only encountered in the test pit within trench 74, excavated at the south eastern end of the trench, which contained a band of woody peat approximately 0.30 m thick at a approximately 1.70 m OD (4.2m below present ground level).

3.3 Finds summary

3.3.1 Three small fragments of post-medieval pottery were recovered from the topsoil of trench 55. No deposits suitable for palaeoenvironmental sampling were encountered.



4 DISCUSSION

4.1 Reliability of field investigation

4.1.1 Ground conditions were reasonable, although trench flooding was an issue. The bases of all trenches were visible in plan prior to any flooding and any archaeological features present would have been identified.

4.2 Interpretation

- 4.2.1 It seems likely that the evaluated area has, during the historic period, been exclusively used for agricultural purposes. The likelihood of flooding from the tidal river Parrett appears to have precluded any settlement within the flood plain. No evidence for salt production was uncovered.
- 4.2.2 Evidence of previous land/water management of the site was observed in trenches 53, 56, 74, 76 and 78. Ditch 5303 and 5604 are the same feature. The ditch was aligned NE-SW and could clearly be seen as a depression on the ground surface prior to machine excavation. The partly filled ditch was observed dipping down into the existing boundary drainage ditch to the south and probably continues to functioned as a active drainage feature during the winter (Fig. 5, section 5301).
- 4.2.3 In trench 74, ditch 7402 was aligned NW-SE and probably formed part of the current current boundary/rhyne to the west and east (Fig. 5 section 7401). A fragment of 3 inch diameter, circular-sectioned timber post was observed in the base of the ditch (Fig. 5 section 7401).
- 4.2.4 The vertical sided 3.10 m wide pit or ditch terminal in trench 76 contained a mixed backfill deposit and is likely to be relatively recent, perhaps relating to the installation of the water main situated approximately 4 m to the east (Fig. 5 section 7601).
- 4.2.5 Several shallow linear depressions were noted on the ground surface prior to excavation at trenches 55, 75 and 78. Although the sections were cleaned, no evidence of these features could be seen either in section or in plan during machine excavation, and it seems likely that these features were confined to the depth of the topsoil only. In trenches 75 and 78 the linear depressions are likely to be part of the former water management of the site and could still function albeit in a limited way. At the location of trench 55, the depressions were extremely ephemeral. Six N-S aligned depressions, roughly 8 m apart, were observed on the ground surface. They were not visible in section or in plan during machining despite hand cleaning suggesting they were limited to the topsoil only. It was from the topsoil of trench 55 that three small fragments of post-medieval pottery was recovered. These small fragments constituted the only finds recovered during the evaluation.



APPENDIX A. TRENCH DESCRIPTIONS AND CONTEXT INVENTORY

Trench 49						
General d	escriptio	Orientation	N-S			
No archae	ological r	Avg. depth (m)	1			
trench rap	•			g machining, however, remained		1.9
good.					Length (m)	50
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
4901	Layer	-	0.14	Topsoil. Friable mid grey brown silty clay with no inclusions visible.		-
4902	Layer	-	0.18	Subsoil. Firm mid yellow brown silty clay.	-	-
4903	Layer	-	>0.68	Alluvium. Tenacious light yellow brown silty clay.	-	-

Trench 50						
General de	escriptio	Orientation	E-W			
				vas slightly sandier to the west of		1
				y was visible across the whole of reached at 0.90 m and the rust		1.9
coloured w	he base of the trench. Water table reached at 0.90 m and the rust coloured water infiltrated at the eastern end due to the close proximity of newly drilled bore hole.					50
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
5000	Layer	-	0.25	Topsoil. Friable mid grey brown silty clay. Inclusions of modern charcoal and metal spread of <i>c</i> 4 m located 13 m from western end of trench.	-	-
5001	Layer	-	0.15	Subsoil. Firm mid yellow brown silty clay.	-	-
5002	Layer	-	>0.65	Alluvium. Tenacious light grey brown sandy clay.	-	-

Trench 51		
General description	Orientation	E-W
No archaeological remains. Two areas of recent disturbance were		2.2
recorded within the trench. An 8 m wide probable pit extending across the width of the trench contained modern brick, iron and several two m	Width (m)	1.9
long lengths of tree trunk. This was located 12 m from the eastern end of the trench. 17 m from the western end of the trench was another smaller probable pit measuring 4 m wide. This also contained tree roots and	Length (m)	50



modern co	oncrete.					
A test pit trench.	was exc	avated to	a depth	of 4m at the western end of the		
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
5101	Layer	-	0.3	Topsoil. Friable mid grey brown silty clay.	-	-
5102	Layer	-	0.15	Subsoil. Friable light brown silty clay.	-	-
5103	Layer	-	1.75	Alluvium. Friable light brown clay sand laminated towards the bottom with occasional iron pan		-
5104	Layer	-	>1.50	Alluvium. Dark blue grey clay		

Trench 52		
General description	Orientation	N-S
No archaeological remains. Water table reached at 0.90 m. Trench	Avg. depth (m)	1
flooded more rapidly than others in the area. Visibility, nowever, during	Width (m)	1.9
machining remained good.	Length (m)	50
Contexts		

Contexts						
type	width (m)	depth (m)	comment	finds	date	
Layer	-	0.2	silty clay. Rare inclusions of		-	
Layer	-	0.14	Subsoil. Firm mid yellow brown silty clay.	-	-	
Layer	-	>0.66	Alluvium. Tenacious light grey brown silty clay.	-	-	
	Layer	type (m) Layer - Layer -	type(m)(m)Layer-0.2Layer-0.14	type(m)(m)commentLayer-0.2Topsoil. Friable mid grey brown silty clay. Rare inclusions of small sub angular fragments of slate (<50mm).	type(m)(m)commentfindsLayer-0.2Topsoil. Friable mid grey brown silty clay. Rare inclusions of small sub angular fragments of 	

Trench 53		
General description	Orientation	E-W
No archaeological features were observed, however, a forme	••••	2.2
boundary/drainage ditch was recorded orientated NE-SW. Although no finds were recovered, the feature is likely to be relatively recent, probably		1.9
part of the drainage system of the field. It was observed on the ground surface prior to machining as a distinct depression and was traced running down into the existing rhyne to the south through trench 56. It probably still functions as an active drain during the winter. In section a single fill of mid grey brown silty clay was observed with tree roots evident along the south western edge. The ditch was 2.40 m wide and 1.50 m deep.	Length (m)	50



below curr	ent groun	id level.				
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
5300	Layer	-	0.24	Topsoil. Friable mid grey brown silty clay.	-	-
5301	Layer	-	2.2	Alluvium. Firm light grey brown silty clay. Fine laminations visible from approx. 0.70 m below current ground level.	_	-
5302	Layer	-	>1.50	Alluvium. Dark blue grey sandy clay.	-	-
5303	Cut	2.4	1.5	Cut of boundary/drainage ditch.	-	-
5304	Fill	2.4	1.5	Fill of 5303. Mixed mid grey brown silty clay. Contained tree roots along south western edge of ditch, probably remnants of former hedgerow.	-	-

Trench 54		
General description	Orientation	N-S
	Avg. depth (m)	1
No archaeological remains.	Width (m)	1.9
	Length (m)	50
Contexts		

o on toxio								
context number	type	width (m)	depth (m)	comment	finds	date		
5400	Layer	-	0.2	Topsoil. Friable mid grey brown silty clay with very rare small fragments of tile, possibly ceramic field drain.	_	-		
5401	Layer	-	0.12	Subsoil. Firm light yellow brown silty clay.	-	-		
5402	Layer	-	>0.76	Alluvium. Firm light grey brown silty clay with fine sandy laminations.		-		

Trench 55		
General description	Orientation	E-W
No archaeological remains. On the ground surface six 2 m wide linear	Avg. depth (m)	1
depressions were observed roughly 8 m apart. On excavation no evidence could be seen in section, although the topsoil was observed to	Width (m)	1.9
be slightly crumblier in these locations. No evidence of any cut could be detected. Two small fragments of post medieval pottery were recovered from the topsoil.		50
Contexts		



context number	type	width (m)	depth (m)	comment	finds	date
5501	Layer	-	0.2	Topsoil. Friable mid brown silty clay.	Pottery	РМ
5502	Layer	-	0.4	Subsoil. Tenacious light brown silty clay.	-	-
5503	Layer	-	>0.40	Alluvium. Light grey brown sandy clay.	-	-

Trench 56		
General description	Orientation	NE-SW
No archaeological remains, however a 4 m wide probably modern	Avg. depth (m)	1
boundary/drainage ditch was observed running NE-SW through the trench. This is the same feature that appeared in trench 53 and could be	Width (m)	1.9
observed dipping down into the existing rhyne to the SW. It contained a mixed backfill with tree roots along the NE side with water still flowing through the feature despite being backfilled. This trench was shortened due to the presence of overhead power cables. It was also designated as a 2.2 m deep trench, however, this was changed to 1 m on health and safety grounds. After excavating 10 m to a depth of 2.2 m from the SW end of the trench, the sides were collapsing so severely due to the higher water table that it was deemed unsafe to continue at this depth. A test pit was excavated at the NE end of the trench to a depth of 4 m.	Length (m)	48
Contaxta		

•••••••						
context number	type	width (m)	depth (m)	comment	finds	date
5600	Layer	-	0.25	Topsoil. Mid grey brown silty clay.	-	-
5601	Layer	-	2	Alluvium. Light grey brown silty clay, sandier from 1 m below current ground level with occasional iron pan.	-	-
5602	Layer	-	>1.50	Alluvium. Dark blue grey sandy clay.	-	-
5603	Cut	4	0.9	Cut of boundary/drainage ditch. Likely part of former water management in the field.		-
5604	Fill	4	0.9	Fill of 5603. Mixed firm light yellow brown silty clay with patches of mid grey brown silty clay.		-

Trench 57			
General description		Orientation	E-W
No archaeological features.	No test pit was excavated at the end of this	Avg. depth (m)	2.2



Land North-East of Bridgwater, Somerset. F	Phase 2.	EVALUATION REPORT
--	----------	-------------------

trench due water and		Width (m) Length (m)	1.9 50			
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
5700	Layer	-	0.3	Topsoil. Friable mid grey brown silty clay with rare inclusions of small sub-rounded pebbles.		-
5701	Layer	-	0.28	Subsoil. Firm light yellow brown silty clay.	-	-
5702	Layer	-	>1.60	Alluvium. Tenacious light grey brown sandy clay. Small laminations visible of <i>c</i> 1.2 mm.		-

Trench 58		
General description	Orientation	N-S
	Avg. depth (m)	1
No archaeological remains.	Width (m)	1.9
	Length (m)	50
Contexts		•

Contexts							
context number	type	width (m)	depth (m)	comment	finds	date	
5800	Layer	-	0.22	Topsoil. Friable mid grey brown silty clay. No inclusions visible.	-	-	
5801	Layer	-	0.15	Subsoil. Firm mid yellow brown silty clay.	-	-	
5802	Layer	-	>0.63	Alluvium. Tenacious light grey brown silty clay.	-	-	

Trench 59								
General d	escriptio	Orientation	E-W					
		Avg. depth (m)	1					
No archae still good.	ological fe	atures. I	rench star	ted to flood at 0.90 m, but visibility	Width (m)	1.9		
otin good.					Length (m)	50		
Contexts								
context number	type	width (m)	depth (m)	comment	finds	date		
5901	Layer	-	0.3	Topsoil. Friable mid brown silty clay.	-	-		
5902	Layer	-	0.15	Subsoil. Firm light brown silty clay.	-	-		
5903	Layer	-	>0.55	Alluvium. Tenacious light brown silty clay.	-	-		



Trench 60)					
General d	lescriptio	n			Orientation	E-W
					Avg. depth (m)	2.2
				was excavated at the western end ground surface.	Width (m)	1.9
		pui oi o.o			Length (m)	50
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
6000	Layer	-	0.3	Topsoil. Friable dark brown silty clay.	-	-
6001	Layer	-	2.2	Alluvium. Tenacious light grey brown silty clay. No inclusions visible.		-
6002	Layer	-	>1.40	Alluvium. Tenacious mid grey blue sandy clay.	-	-

Trench 61		
General description	Orientation	N-S
	Avg. depth (m)	1
No archaeological features. Visibility good even though water started to enter the trench at 0.90 m below ground level.	Width (m)	1.9
	Length (m)	50
Contexts		

oontexts							
context number	type	width (m)	depth (m)	comment	finds	date	
6100	Layer	-	0.28	Topsoil. Friable mid grey brown silty clay. Modern concrete and blue plastic pipe buried in topsoil 25 m from north end of trench.		-	
6101	Layer	-	0.1	Subsoil. Firm light yellow brown silty clay.	-	-	
6102	Layer	-	>0.65	Alluvium. Tenacious light grey brown silty clay. Getting sandier towards 1.00 m below ground level. Laminations of 1-2 mm visible at 0.90 m below ground level.	-	-	

Trench 62						
General d	escriptio	Orientation	E-W			
No archae	ological	remains.	A test pit	was excavated at the western end	Avg. depth (m)	2.2
of the tren	ich to a 6203 ar	depth of 4	.0 m belo	ow current ground level. Deposits ame, but 6203 had a higher sand	Width (m)	50
content.	0200 ar	6 63561110	ing the se	ine, but ozos nau a nigher sana	Length (m)	1.9
Contexts					1	1
context	type	width	depth	comment	finds	date



- . . .

number		(m)	(m)			
6201	Layer	-	0.3	Topsoil. Friable mid brown silty clay.	-	-
6202	Layer	-	1	Alluvium. Firm mid brown silty silt.	-	-
6203	Layer	-	1	Alluvium. Tenacious light brown sandy clay.	-	-
6204	Layer	-	>1.7	Alluvium. Tenacious dark blue grey clayey sand.	-	-

Trench 63						
General d	escriptio	n			Orientation	N-S
					Avg. depth (m)	1
No archae excavation	•			filled with water slowly - initial	Width (m)	1.9
chouvalion	i was ary		ity was ge		Length (m)	50
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
6301	Layer	-	0.16	Topsoil. Friable light grey brown silty clay.	-	-
6302	Layer	-	0.1	Subsoil. Firm mid brown silty clay.	-	-
6303	Layer	-	>0.74	Alluvium. Tenacious light brown silty clay.	-	-

Trench 64	4					
General d	lescriptio	on			Orientation	E-W
					Avg. depth (m)	1
No archae	eological r	emains.			Width (m)	1.9
					Length (m)	50
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
6401	Layer	-	0.3	Topsoil. Friable mid brown silty clay.	-	-
6402	Laver	_	0.25	Subsoil. Firm mid brown silty	_	_

6402	Layer	-	0.25	clay.	-	-
6403	Layer	-	1 21 1 4 5	Alluvium. Tenacious light brown silty clay.	-	-

Trench 65		
General description	Orientation	N-S
No archaeological remains.	Avg. depth (m)	1



					Width (m)	1.9
					Length (m)	50
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
6501	Layer	-	0.26	Topsoil. Friable mid brown silty clay.	-	-
6502	Layer	-	>0.74	Alluvium. Firm light grey brown silty clay. Occasional sand laminations visible at lower depths.	-	-

Trench 66	;					
General d	lescriptio	n			Orientation	E-W
					Avg. depth (m)	1.06
No archae still good.	eological r	emains.	Water tabl	le reached at 0.90 m, but visibility	Width (m)	1.9
oun good.					Length (m)	50
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
6600	Layer	-	0.26	Topsoil. Friable mid grey brown silty clay.	-	-
6601	Layer	-	0.18	Subsoil. Firm light grey brown clay.	-	-

Trench 67

6602

Layer

>0.62

General description		Orientation	N-S
		Avg. depth (m)	2.2
No archaeological remains. below current ground level.	Test pit excavated at western end to 4 m	Orientation Avg. depth (m Width (m) Length (m)	1.9
below ourrent ground level.		Length (m)	50

brown clay.

Alluvium. Tenacious light grey

_

Contexts

context number	type	width (m)	depth (m)	comment	finds	date	
6701	Layer	-	0.3	Topsoil. Friable mid grey brown silty clay.	-	-	
6702	Layer	-	1.9	Alluvium. Light brown sandy clay, becoming lighter and sandier lower down. Thin laminations visible.	_	-	
6703	Layer	-	>1	Alluvium. Dark blue grey sandy clay	-	-	



Trench 68	3					
General d	lescriptio	Orientation	E-W			
					Avg. depth (m)	1
No archae	ological re	Width (m)	1.9			
					Length (m)	50
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
6800	Layer	-	0.3	Topsoil. Friable mid brown silty clay.	-	-
6801	Layer	-	>0.70	Alluvium. Friable light brown silty clay.	-	-

Trench 69						
General d	escriptio	Orientation	NW-SE			
No archae	•	• • • • •	2.2			
cables. I excavated	Machined	Width (m)	1.9			
(3.50 m be table and s	low curre	Length (m)	50			
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
6900	Layer	-	0.24	Topsoil. Friable mid grey brown silty clay.	-	-
6901	Layer	-	0.1	Subsoil. Firm light yellow brown silty clay.	-	-
6902	Layer	-	2.5	Alluvium. Tenacious light grey brown with occasional flecks of manganese.	-	-
6903	Layer	-	>0.70	Alluvium. Tenacious dark grey sandy clay. Essentially the same deposit as 6902 but not reduced.	-	-

Trench 70						
General d	lescriptio		Orientation	N-S		
					Avg. depth (m)	1.04
No archae	ological r	Width (m)	1.9			
			Length (m)	50		
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
7000	Layer	-	0.24	Topsoil. Friable dark grey brown silty clay.	-	-



7203

7001	Layer	-	0.1	Subsoil. Firm light yellow brown silty clay.	-	-
7002	Layer	-	>0.80	Alluvium. Tenacious light yellow brown sandy clay.	-	-

Trench 71								
General d	escriptio	'n			Orientation	E-W		
No archae	ological r	Avg. depth (m)	2.2					
maximum	•		•	or (3.70 m below current ground	Width (m)	1.9		
level).			Length (m)	50				
Contexts								
context number	type	width (m)	depth (m)	comment	finds	date		
7100	Layer	-	0.22	Topsoil. Friable mid grey brown silty clay.	-	-		
7101	Layer	-	0.15	Subsoil. Firm light yellow brown silty clay.	-	-		
7102	Layer	-	2.7	Alluvium. Tenacious light grey brown sandy clay.	-	-		
7103	Layer	-	>0.70	Alluvium. Tenacious dark grey sandy clay. Same deposit as 7102, not reduced.		-		

Trench 72										
General d	lescriptio	Orientation	N-S							
No archa	eological	Avg. depth (m)	2.2							
sandier th	an seen	Width (m)	1.9							
southern e	end of a d	urrent ground level.	Length (m)	50						
Contexts						•				
context number	type	width (m)	depth (m)	comment	finds	date				
7201	Layer	-	0.25	Topsoil. Friable mid brown sandy clay.	-	-				
7202	Layer	-	1.95	Alluvium. Light brown silty clay	-	-				
						1				

>1.50

Trench 73								
General description	Orientation	NW-SE						
No archaeological remains. A spread of modern brick, stone, concrete	Avg. depth (m)	1						
and iron was noted within the topsoil at the SE end of the trench. The		1.9						
spread extended for approximately 10 m.	Length (m)	50						
Contexts								

grey silty clay.

Alluvium. Tenacious dark blue

© Oxford Archaeology

Layer

_



context number	type	width (m)	depth (m)	comment	finds	date
7301	Layer	-	0.3	Topsoil. Friable mid brown silty clay.	-	-
7302	Layer	-	0.35	Subsoil. Tenacious light brown silty clay.	-	-
7303	Layer	-	>0.45	Alluvium. Tenacious light grey brown clay.	-	-

Orientation	NW-SE
Avg. depth (m)	1.5
Width (m)	1.9
l l l Length (m)	50
	Orientation 4vg. depth (m) Width (m) Oda Coda Coda Same

context number	type	width (m)	depth (m)	comment	finds	date
7400	Layer	-	0.24	Topsoil. Friable mid grey brown silty clay.	-	-
7401	Layer	-	0.16	Subsoil. Firm light yellow brown silty clay.	-	-
7402	Cut	2.5	1.2	Cut of boundary/drainage ditch orientated NW-SE. Visible on ground surface as an earthwork. Probable infilled section of the existing rhyne, to the east.	-	-
7403	Layer	-	2	Alluvium. Firm light grey silty clay.	-	-
7404	Layer	-	1.8	Alluvium. Dark blue grey sandy clay becoming much sandier towards the base.		-
7405	Layer	-	0.3	Peat. Immature peat containing visible twigs and leaf material.	-	-
7406	Layer	-	>0.3	Dark blue grey sandy clay.	-	-
7407	Fill	2.5	1.2	Fill of 7402. Firm mid grey brown silty clay. Inclusions of		-



occasional small sub angular stones and rare small twigs.		
---	--	--

Trench 75						
General de	escriptio	n			Orientation	NE-SW
No archaed	ological re	emains. T	rench was	relocated to avoid water main.	Avg. depth (m)	1
Visibility w	hoon as	desnite ra	nid floodi	ng of trench. A thin mottled lens	Width (m)	1.9
Visibility was good despite rapid flooding of trench. A thin mottled lens appeared throughout the trench at 0.35 m below current ground level. This lens did not appear in any of the other trenches and perhaps Length (m)						5
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
7501	Layer	-	0.2	Topsoil. Friable mid brown silty clay.	-	-
7502	Layer	-	0.15	Subsoil. Tenacious light brown silty clay.	-	-
7503	Layer	-	0.1	Alluvium. Tenacious mottled light brown/light grey clay.	-	-
7504	Layer	-	>0.54	Alluvium. Soft light brown silty clay.	-	-

Trench 76						
General de	Orientation	N-S				
		vertical si	ded sub r	ectangular pit or ditch terminal, of	Avg. depth (m)	1
modern dat	te.				Width (m)	1.9
The sub rectangular feature was located 13 m from the northern end of the trench and was cut from under the topsoil containing a mixed mixed grey silty clay fill with patches of redeposited topsoil. The feature may be related to the modern water main service located only a few meters to the east. Only partial hand excavation of this feature could take place due to the extremely rapid flooding of the trench.						50
Contexts				,		
context number	type	width (m)	depth (m)	comment	finds	date
7601	Layer	-	0.3	Topsoil. Friable mid brown silty clay.	-	-
7602	Layer	-	0.2	Subsoil. Tenacious mid brown silty clay.	-	-

© Oxford Archaeology



7603	Layer	-	0.5	Alluvium. Tenacious light brown clay.	-	-
7604	Cut	3.1	>1.20	Cut of vertical sided pit or linear terminus. Extended 0.50 m into trench and was sub rectangular in plan.	_	-
7605	Fill	3.1	0.5	Fill of 7604. Firm light grey brown silty clay.	-	-
7606	Fill	1.4	0.5	Fill of 7607. Tenacious blue grey silty clay.	-	-
7607	Cut	1.4	0.5	Cut of drainage ditch. Probably modern	-	-
7608	Fill	2.9	0.7	Fill of 7604. Firm mid yellow brown with occasional patches of grey brown silty clay. Inclusion of occasional lumps of redeposited topsoil.		-

Trench 77						
General d	escriptio	n			Orientation	N-S
No archae		2.2				
during ma extremely	-	sed soon after and the trench was	Width (m)	1.9		
	was exca		e souther	n end to a depth of 3.50 m below	Length (m)	50
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
7700	Layer	-	0.3	Topsoil. Friable mid brown silty clay.	-	-
7701	Layer	-	0.8	Alluvium. Firm mid brown grey silty clay.	-	-
7702	Layer	-	0.2	Alluvium. Firm mid brown silty clay.	-	-
7703	Layer	-	1.5	Alluvium. Firm mid brown grey silty clay.	-	-
7704	Layer	-	>1	Alluvium. Tenacious mid blue grey silty clay, becoming sandy towards base.	-	-

Trench 78		
General description	Orientation	NE-SW
	Avg. depth (m)	1
Trench was shortened to avoid to buried power cables. No archaeological remains.	Width (m)	1.9
	Length (m)	37



Contexts	Contexts					
context number	type	width (m)	depth (m)	comment	finds	date
7800	Layer	-	0.16	Topsoil. Friable mid brown silty clay.	-	-
7801	Layer	-	0.2	Subsoil. Firm mid grey brown silty clay.	-	-
7802	Layer	-	>0.7	Alluvium. Firm mid brown grey silty clay.	-	-

Trench 79						
General description Orientation NE-SW						
	•	Avg. depth (m)	1			
the trench level.	to a dept	nd 4 m (SW) below current ground	Width (m)	1.9		
Contexts						
context number	type	width (m)	depth (m)	comment	finds	date
7901	Layer	-	0.15	Topsoil. Friable dark brown silty clay.	-	-
7902	Layer	-	0.21	Subsoil. Firm mid brown silty clay.	-	-
7903	Layer	-	0.34	Alluvium. Friable light brown sandy clay.	-	-
7904	Layer	-	2	Alluvium. Tenacious light grey with brown mottles.	-	-
7905	Layer	-	>1.5	Alluvium. Tenacious dark grey silty clay.	-	-



APPENDIX B. BIBLIOGRAPHY AND REFERENCES

CgMs, 2009 Archaeological Evaluation/Strip Map and Sample. Land North-East of Bridgwater, Somerset.

OA, 2008 *Little Sydenham Farm, near Bridgwater, Somerset. Geoarchaeological Assessment Report,* Oxford Archaeology client report for CgMs Consulting and Hallam Land Management.

OA, 2010a Land North-East of Bridgwater, Somerset. Archaeological Evaluation Report. Oxford Archaeology client report for CgMs Consulting and Hallam Land Management (Phase 1 trenching).

OA, 2010b Archaeological Evaluation of Land North-East of Bridgwater, Somerset, Phase 2 trenching. Written Scheme of Investigation. Oxford Archaeology client report for CgMs Consulting and Hallam Land Management.





APPENDIX C. SUMMARY OF SITE DETAILS


Site name:	Land north-east of Bridgwater, Somerset
Site code:	TTNCM:247/2009
Grid reference:	ST 313 392
Туре:	31 trench evaluation
Date and duration:	29 th March to 16 th April 2010
Area of site:	18 ha

Summary of results: An alluvial sequence was observed with no significant archaeological deposits or features.


Location of archive: The archive is currently held at Oxford Archaeology, Janus House, Osney Mead, Oxford, OX2 0ES, and will be deposited with the Somerset County Museum in due course, under the following accession number: 28324





















Figure 4: Representative sections 4901, 5400, 6301, 7800












Figure 5: Sections 5301, 7501, 7401, 7601



Plate 2: Trench 57





Plate 4: Section 7901

OA East 15 Trafalgar Way Bar Hill Cambridgeshire CB23 8SQ

t: +44(0)1223 850500 f: +44(0)1223 850599 e: oaeast@thehumanjourney.net w:http://thehumanjourney.net

OANorth

Mill 3 Moor Lane Mills Moor Lane Lancaster LA11GF

t:+44(0)1524541000 f:+44(0)1524848606 e:oanorth@thehumanjourney.net w:http://thehumanjourney.net

OASouth

Janus House Osney Mead Oxford OX20ES

t:+44(0)1865263800 f:+44(0)1865793496 e:info@oxfordarch.co.uk w:http://thehumanjourney.net

OA Grand Ouest

7 Rue des Monderaines ZI-Ouest 14650 Carpiquet France

t: +33(0)249880101 f: +33(0)249880102 e: info@oago.fr w:http://oago.fr

OA Méditerranée

115 Rue Merlot ZAC La Louvade 34 130 Mauguio France

t: +33(0)4.67.57.86.92 f: +33(0)4.67.42.65.93 e: oamed@thehumanjourney.net w: http://oamed.fr/



Director: David Jennings, BA MIFA FSA



The Oxford Archaeological Unit Ltd is a Private Limited Company, N^o: 1618597 and a Registered Charity, No: 285627 Head Office: Janus House, Osney Mead, Oxford, OX20ES, t: +44(0) 1865263800