## Devon County Council Historic Environment Record

Civil Parish: Clyst Honiton	National Grid Reference SX 98946 93552		Number: (Leave blank)
Subject: Clyst House, Clyst Honiton, Devon  Plan/Photo attached? Y			
Planning Application no: 18/1177/FUL		Recipient museum: Royal Albert Memorial Museum	
Training repriorition for the first		, and the second	
OASIS ID: contexto1-343967		Museum Accession no: RAMM: 19/10	
Contractor's reference code: C1/AMR/19/CCD		Dates fieldwork undertaken: 26 March & 1 April 2019	
Description of works.			
Context One Heritage & Archaeology (C1) carried out archaeological monitoring and recording as a condition of planning permission for the conversion, extension and alterations to existing stables to create residential accommodation at the Clyst House, Clyst Honiton, Devon. Due to the close proximity to the medieval parish church it was anticipated that significant archaeological deposits might be present.			
The first phase of archaeological work was a desk-based appraisal of archaeological and historical data recorded within a 500m radius of the Site. Historic map regression identified the former stables as dating to the latter half of the 19th century.			
Works to the building did not involve any below ground impact so the groundworks exclusively related to the excavation of service trenches ( <b>Figure 1</b> ). These were monitored for archaeological features/deposits. Representative profiles of the deposit sequence within the trenches were taken at two locations ( <b>Figure 1</b> , <b>Plates 1-2</b> ) and are described below:			
Profile 1 ( <b>Plate 1</b> ) 0 – 0.20m Topsoil Black (10YR 2/1) soft sandy silt loam with sparse rounded sandstone fragments. 0.20m - 0.60m Subsoil Dusky red (5R 3/4) friable sandy silt loam with common rounded sandstone fragments			
Profile 2 ( <b>Plate 2</b> ) 0 – 0.60m Topsoil/subsoil (beneath stables) Dusky red (5R 3/4) friable sandy silt loam with moderate rounded sandstone fragments			
No archaeological features or deposits were encountered and no finds were observed or recovered.			
It is likely that any archaeology which might have once been present is likely to have been removed by levelling associated with the present buildings on the Site.			
A plan as well as any other relevant drawings must be attached showing the location and extent of site, areas investigated and features exposed.			
מוכמס ווויסטנואמנסט מווט ופמנטופס פגףטספט.			

Date sent to HER

23/04/2019

Recorder:

Clare Randall, Context One Heritage & Archaeology




Figure 1. Site setting, development area and service trenches



Plate 1. Profile 1 (facing SE; 1m scale



Plate 2. Profile 2 (from W; 1m scale)

Any plans or photographs embedded within or attached to this form remain the copyright © of the recorder, and must not be reproduced in any publication without the explicit consent of the copyright holder.

Information recorded on this form will be added to the Historic Environment Record, and be made available to researchers.