

Centre for Archaeology Scientific Dating Service

Details of Radiocarbon Sample

For Dating Lab use Lab No	
Result	
$\delta^{l3}C$:	
δ ¹⁵ N:	
Other lab nos	

Please complete this form for every radiocarbon sample which you wish to submit for dating. The detailed information requested is essential for the assessment and full scientific publication of your samples and may be published verbatim. Incorrect or incomplete submissions will cause delay.

Name of site		Ixworth									
Name or code of series			Ixworth								
Your sample reference			Ixworth 71cm								
Type of mater	rial Ple	ease mark v	vith X								
Animal bone		Charcoal		Le	eather		Shell		Water		
Antler		Fabric	Pe			X	Slag	Wood		od	
Bone		Grain			ant macrofossil		Soil				
Carbonised residu	ie	Human b	one	Se	ediment		Thatch				
Specific identi	ificatio	n		Weight of					e		
eg left tibia, <i>Quercus</i> sp., sapwood,							eg less than 5g				
Name of person carrying						Date identified					
out identification and											
institution affiliated to											
Collector's name						Date collected		Aug	August 2007		
Concetor s name			Dr Tom Hill								
Submitter's name						Date submitted A		Aug	August 2007		
			Dr Ben Gearey								
Estimated arc			riod Plea	ise i	mark with X						
Palaeolithic	Palaeolithic Until 10,000 BP			Post medieval			1540 – 1955 cal <i>A</i>			cal AD	
Mesolithic 10,000 BP – 4,000			cal BC		Holocene						
Neolithic 4,000 – 2,500 cal BC					GS-1 (Younger Dryas)						
Bronze Age	2,500 – 600 cal BC				GI–1a (Allerød)						
Iron Age					GI–1b+c (Older Dryas)						
Roman	43 - 410 cal AD			X	GI–1d+e (Bølling)						
Early medieval 410 – 1066 cal AD				GS-2 (Middle W	eich	selian)					
Medieval	1066 – 1540 cal AD										

For AML	use
AML approv	val

AML no

Financial year Deadline

Notes for dating laboratory

Context		
Was the sample		Sealed in recognisable layer?
Please mark with X		Sealed in a localised feature? eg a grave or pit
		Unstratified
		Other eg wooden pile foundation
This is known	X	Confidently
Please mark with X		Probably
		Doubtfully

Stratigraphic details

Please give details of the contextual and stratigraphic location of the sample, attaching plan or section. Please discuss the possibility of intrusion or residuality *eg inhumation G76 overlying* posthole P27 and inhumation G124 and cut by inhumation G128. The skeleton was fully articulated, removing any possibility of disturbance or excarnation.

Analysis of aerial photographs, LiDAR and grey literature as part of the Suffolk River Valleys Project resulted in the identification of possible organic deposits preserved within palaeochannel features of the River Black Burn, within Mickle Mere, Ixworth. Sedimentary coring within the floodplain identified the presence of peat deposits to a depth of c. 3.50m. A sample core was taken as part of SRVP#2 for further analysis. Due to flooding at the time of fieldwork, sampling was restricted to the margins of the Mere. A 2.40m thick sedimentary sequence was subsequently sampled:

0-70cm	Light grey-brown clayey silt with occasional organics (unsampled)
70-89cm	Dark brown well humified peat with occasional herbaceous fragments
89-95cm	Dark grey-brown silt-rich well humified peat
95-125cm	Dark brown well humified peat with occasional sand and silt horizons within
125-157cm	Medium grey-brown well humified peat with abundant sand and silt
157-240cm	Dark brown herbaceous well humified peat with occasional wood fragments

Sample Ixworth 71cm was taken from the top of a dark brown well humified peat unit, which is underlain by a silty peat.

Environmental Details

Please give full details of the burial environment of the sample, including local geology, nearness to water table, calcareous environment, rootlet penetration, disturbance etc. eg grave 1.7m from surface, waterlogged in winter, cut into natural chalk (pH 7.5). Possible contamination from modern septic tank to NW.

The underlying geology of the area surrounding Mickle Mere comprises predominantly of chalk, chalk till, and glaciofluvial drift and till.

The stratigraphy and sedimentology of the deposits suggests the area initially infilled naturally through biogenic in-situ sedimentation. Thin minerogenic horizons are present within the peat deposits, which may have been accumulated during periods of temporary catchment instability and floodplain flooding. The peat is capped by a layer of silt which is likely to have accumulated through floodplain deposition. Upon removal of the upper silt unit, the natural water table rose to c. 0.25m from the surface. Rootlet penetration was not evident within the core upon extraction.

Objective

Please describe explicitly the relevance of this sample to the specific dating objective(s) of the project. This information should hold good regardless of the final result of the analysis. This is **your** chance to justify the expense of dating **your** samples!

eg to establish the period of use of the cemetery to the W of the church and N of the fourteenth-century boundary ditch, the absolute date of this burial in comparison to G124 which it seals and G128 which cuts it, and to provide useful comparative information for the osteology since this skeleton has also provided a stable isotope measurement ($\delta^{15}N$ 6.2).

- To determine the timing of organic sedimentation across the Holocene floodplain.
- To determine the duration of biogenic sedimentation and variations in the rates of sedimentation during the depositional history.

Rela	Relationship of sample to objective Please mark with X				
X	Certain	The sample came from the object itself eg skeleton in grave			
	Very likely	There is a direct functional relationship between the sample and the			
		objective eg coffin in grave			
	Likely	The nature and position of the sample suggests a functional			
		relationship eg worked antler in an occupation layer			
	Possible	Relationship less obvious because material small and scattered <i>eg</i>			
		bone fragments in grave			
Esti	Estimated age of sample at death Please mark with X				
X	x Less than 20 years eg twigs, grain, bone				
	Could be several decades but less than 100 years eg charcoal from short lived woody species (eg				
	Corylus avellana, Prunus sp., Pinus sp., Salix/populus sp.)				
	Could be centuries old eg charcoal from long lived woody species (eg Quercus sp., Fraxinus				
	sp., Taxus baccata)				
	Unknown eg 'dark earth', soil				

Sample collection, storage and treatment How was the sample collected? Please include details of size and type of monolith tins or coring equipment if appropriate eg concentration of charcoal trowelled into polythene bags (double bagged), charcoal separated by water floatation Trenching and monolith sampling was not allowed due to the site being a nature reserve. Consequently, the full sequence was extracted using a 7cm Russian Corer to 2.40m depth. How has it been stored? Eg double bagged in polythene in cardboard box Core preserved in 1m sections in guttering, wrapped in the field, sub-sampled and stored in fridge on returning to the laboratory. Have any preservatives, fungacides, glues etc been used? Please give details of chemicals No Was the sample waterlogged when collected? No Has it been dried and if so how? No Can the whole sample be used for dating? Yes Is more material available?

We could collect more material from appropriate samples

Has this or any related sample been sent to another laboratory for dating? Please give laboratory references and radiocarbon ages

No

23 Savile Row London W1S 2ET Tel 020 7973 3299 Fax 020 7973 3330

Email alex.bayliss@english-heritage.org.uk