

Centre for Archaeology Scientific Dating Service

Details of Radiocarbon Sample

For Dating Lab use Lab No	
Result	
$\delta^{l3}C$:	
δ ¹⁵ N:	
Other lab nos	

Please complete this form for every radiocarbon sample which you wish to submit for dating. The detailed information requested is essential for the assessment and full scientific publication of your samples and may be published verbatim. Incorrect or incomplete submissions will cause delay.

Name of site		Beccles								
Name or code of series		Deccies								
name of code of series		Beccles#1								
Your sample reference			Beccles#1 350cm							
Type of mater			vith X							
Animal bone	Charcoal		Leather		eather	Shell		Water		
Antler		Fabric		Po	eat	Slag		Wo	od	Х
Bone		Grain		P	Plant macrofossil Soil					
Carbonised residu	e	Human b	one	Se	ediment	Thatch				
Specific identi	ficatio	n	Weight			Weight of	sample	e		
eg left tibia, Quero	cus sp.,	sapwood,				eg less than	eg less than 5g			
Name of person carrying						Date identified				
out identification and										
institution affi	institution affiliated to									
Collector's na	Collector's name					Date collected		July 2006		
Concetor 5 manie			Dr Tom Hill						,	
Submitter's name						Date submitted		October 2006		
		Dr Ben Gearey								
	Estimated archaeological period Please mark with X									
Palaeolithic		0,000 BP			Post medieval	1540 – 1955 cal AD				
Mesolithic		10,000 BP – 4,000 cal BC			Holocene					
Neolithic	4,000 – 2,500 cal BC				GS-1 (Younger Dry					
Bronze Age	2,500 – 600 cal BC			X	01 10 (1111100)					
Iron Age	cal BC 600 – 43 cal AD				GI–1b+c (Older Dry					
Roman	43 – 410 cal AD				GI-1d+e (Bølling)					
Early medieval	410 – 1066 cal AD				GS-2 (Middle Weic	chselian)				
Medieval 1066 – 1540 cal AD										
Context				•						

For AML	use
---------	-----

AML approval AML no

Financial year Deadline

Notes for dating laboratory

Was the sample	X	Sealed in recognisable layer?
Please mark with X	Sealed in a localised feature? eg a grave or pit	
		Unstratified
		Other eg wooden pile foundation
This is known	X	Confidently
Please mark with X		Probably
		Doubtfully

Stratigraphic details

Please give details of the contextual and stratigraphic location of the sample, attaching plan or section. Please discuss the possibility of intrusion or residuality *eg inhumation G76 overlying* posthole P27 and inhumation G124 and cut by inhumation G128. The skeleton was fully articulated, removing any possibility of disturbance or excarnation.

Analysis of aerial photographs, LiDAR and grey literature as part of the Suffolk River Valleys Project resulted in the identification of a thick peat sequence within the valley floodplain of the River Waveney, proximal to the town of Beccles.

0-20	Dark brown herbaceous very well humified silty peat
20-85	Medium brown very well humified silty peat
85-100	Grey-brown organic rich silt
100-116	Dark grey-brown very well humified silty peat
116-200	Red-brown very well humified peat with occasional wooden fragments
200-484	Dark red-brown herbaceous very well humified woody peat
484-500	Dark brown herbaceous very well humified peat
500-525	Dark red-brown herbaceous very well humified peat
525-535	Dark brown herbaceous very well humified peat
535-545	Dark grey-brown organic-rich sandy silt.

Sample Beccles#1 350cm was taken from the centre of a dark red-brown herbaceous very well humified peat.

Environmental Details

Please give full details of the burial environment of the sample, including local geology, nearness to water table, calcareous environment, rootlet penetration, disturbance etc. *eg grave 1.7m from surface, waterlogged in winter, cut into natural chalk (pH 7.5). Possible contamination from modern septic tank to NW.*

The underlying geology of this part of the Waveney Valley comprises glaciofluvial drift and chalk till.

The stratigraphy and sedimentology of the deposits suggests the area has infilled naturally through biogenic in-situ sedimentation. A thin silt horizon is located c. 85-100cm depth is believed to be of estuarine origin, and is indicative of a period of temporary marine inundation before a return to terrestrial sedimentation. Estuarine sediments become present in increasing thickness within the valley's sedimentary archive with distance north from the Beccles#1 core site. The natural water table was located c. 0.5m from the surface, although an archaeological dig proximal to the site resulted in the temporary artificial lowering of the water table. Rootlet penetration was not evident within the core upon extraction.

Objective

Please describe explicitly the relevance of this sample to the specific dating objective(s) of the project. This information should hold good regardless of the final result of the analysis. This is **your** chance to justify the expense of dating **your** samples!

eg to establish the period of use of the cemetery to the W of the church and N of the fourteenth-century boundary ditch, the absolute date of this burial in comparison to G124 which it seals and G128 which cuts it, and to provide useful comparative information for the osteology since this skeleton has also provided a stable isotope measurement ($\delta^{15}N$, 6.2).

- To determine the timing of organic sedimentation across the Holocene floodplain.
- To determine the duration of in-situ biogenic sedimentation and variations in the rates of sedimentation during the sites depositional history.

Rela	Relationship of sample to objective Please mark with X					
X	Certain	The sample came from the object itself <i>eg skeleton in grave</i>				
	Very likely	There is a direct functional relationship between the sample and the				
		objective eg coffin in grave				
	Likely	The nature and position of the sample suggests a functional				
	-	relationship eg worked antler in an occupation layer				
	Possible	Relationship less obvious because material small and scattered <i>eg</i>				
		bone fragments in grave				
Esti	Estimated age of sample at death Please mark with X					
X	Less than 20 years eg twigs, grain, bone					
	Could be several decades but less than 100 years eg charcoal from short lived woody species (eg					
	Corylus avellana, Prunus sp., Pinus sp., Salix/populus sp.)					
	Could be centuries old eg charcoal from long lived woody species (eg Quercus sp., Fraxinus					
	sp., Taxus baccata)					
	Unknown eg 'dark earth', soil					

Sample collection, storage and treatment How was the sample collected? Please include details of size and type of monolith tins or coring equipment if appropriate eg concentration of charcoal trowelled into polythene bags (double bagged), charcoal separated by water floatation Using 7cm Russian Corer to 4.0m depth, and gauge corer 4.0m to 5.45m depth How has it been stored? Eg double bagged in polythene in cardboard box Core preserved in 1m sections in guttering, wrapped in the field, sub-sampled and stored in fridge on returning to the laboratory. Have any preservatives, fungacides, glues etc been used? Please give details of chemicals No Was the sample waterlogged when collected? No Has it been dried and if so how? No Can the whole sample be used for dating? Yes

Is more material available?

We could collect more material from appropriate samples

Has this or any related sample been sent to another laboratory for dating? Please give laboratory references and radiocarbon ages

No

23 Savile Row London W1S 2ET

Te1 020 7973 3299 Fax 020 7973 3330

alex.bayliss@english-heritage.org.uk Email